# SikaCor VEL (NZ) Hardener



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/12/13

 4.0
 2024/12/16
 100000038663
 Date of first issue: 2021/07/04

#### **Section 1: Identification**

Product name : SikaCor VEL (NZ) Hardener

## Manufacturer or supplier's details

Company : Sika (NZ) Ltd.

85-91 Patiki Road

Avondale

Auckland AKL 1026

Telephone : +64 9 820 2900

Emergency telephone number : 0800 734 607

E-mail address : info@nz.sika.com

Telefax : +64 9 828 4091

#### Section 2: Hazard identification

**GHS Classification** 

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 1B

Serious eye damage/eye irri-

tation

Category 1

**GHS** label elements

Hazard pictograms

TZ <



Signal word : Danger

Hazard statements : H227 Combustible liquid.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

# SikaCor VEL (NZ) Hardener



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/12/13

 4.0
 2024/12/16
 100000038663
 Date of first issue: 2021/07/04

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediate-

ly all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

## Storage:

P403 Store in a well-ventilated place.

P405 Store locked up.

# Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards which do not result in classification

None known.

#### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)
dimethyl phthalate	131-11-3	>= 50 -< 70
2-Butanone, peroxide	1338-23-4	>= 30 -< 50
butanone	78-93-3	>= 1 -< 10

#### Section 4: First-aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

# SikaCor VEL (NZ) Hardener



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/12/13

 4.0
 2024/12/16
 100000038663
 Date of first issue: 2021/07/04

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul-

ty.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

Health injuries may be delayed.

Most important symptoms and effects, both acute and

and effects, both acute and delayed

corrosive effects

Gastrointestinal discomfort

Dermatitis

See Section 11 for more detailed information on health effects

and symptoms. Harmful if swallowed.

Causes serious eye damage.

Causes severe burns.

Notes to physician : Treat symptomatically.

#### Section 5: Fire-fighting measures

Suitable extinguishing media : Carbon dioxide (CO2)

Unsuitable extinguishing

media

Water

Hazardous combustion prod- :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ohe.

Standard procedure for chemical fires.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Hazchem Code : 2WE

#### Section 6: Accidental release measures

# SikaCor VEL (NZ) Hardener



Version Revision Date: SDS Number: Date of last issue: 2022/12/13 2024/12/16 100000038663 Date of first issue: 2021/07/04 4.0

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment. Deny access to unprotected persons.

**Environmental precautions** Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### Section 7: Handling and storage

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Handle in accordance with good industrial hygiene and safety Hygiene measures

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage Store in original container.

Keep in a well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Store in accordance with local regulations.

## Section 8: Exposure controls/personal protection

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
dimethyl phthalate	131-11-3	WES-TWA	5 mg/m3	NZ OEL
2-Butanone, peroxide	1338-23-4	WES-Ceiling	0.2 ppm 1.5 mg/m3	NZ OEL
butanone	78-93-3	WES-STEL	300 ppm 890 mg/m3	NZ OEL

# SikaCor VEL (NZ) Hardener



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/12/13

 4.0
 2024/12/16
 100000038663
 Date of first issue: 2021/07/04

Further information: Exposure can also be estimated by biological monitoring			
	WES-TWA	150 ppm 445 mg/m3	NZ OEL

#### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
butanone	78-93-3	MEK	Urine	End of shift	2 mg/l	NZ BEI

## Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

#### Section 9: Physical and chemical properties

Appearance : liquid

Colour : clear

Odour : slight

Odour Threshold : No data available

pH : No data available

Melting point/ range / Freez-

ing point

No data available

Boiling point/boiling range : No data available

Flash point : No flash point was obtained, but the product may release

flammable vapour.

# SikaCor VEL (NZ) Hardener



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/12/13

 4.0
 2024/12/16
 100000038663
 Date of first issue: 2021/07/04

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : ca. 1 hPa (84 °C (183 °F))

Relative vapour density : No data available

Density : 1.18 g/cm3

Solubility(ies)

Water solubility : partly miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

60 °C (140 °F)

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Self-Accelerating decomposi-

Viscosity

tion temperature (SADT)

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Volatile organic compounds

(VOC) content

11 g/l

# Section 10: Stability and reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

Stable under recommended storage conditions.

Conditions to avoid : No data available

Incompatible materials : No data available

# SikaCor VEL (NZ) Hardener



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/12/13

 4.0
 2024/12/16
 100000038663
 Date of first issue: 2021/07/04

Hazardous decomposition

products

No decomposition if stored and applied as directed.

## **Section 11: Toxicological information**

## **Acute toxicity**

Harmful if swallowed.

# **Components:**

butanone:

Acute oral toxicity : LD50 Oral (Rat): 3,300 mg/kg

Acute inhalation toxicity : LC50 (Rat): 36 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

#### Skin corrosion/irritation

Causes severe burns.

## Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

## **Chronic toxicity**

## Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

# Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

# SikaCor VEL (NZ) Hardener



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/12/13

 4.0
 2024/12/16
 100000038663
 Date of first issue: 2021/07/04

## **Aspiration toxicity**

Not classified based on available information.

#### Section 12: Ecological information

# **Ecotoxicity**

No data available

#### Persistence and degradability

No data available

### **Bioaccumulative potential**

No data available

## Mobility in soil

No data available

#### Other adverse effects

**Product:** 

Additional ecological infor-

mation

: There is no data available for this product.

#### Section 13: Disposal considerations

**Disposal methods** 

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

## **Section 14: Transport information**

#### **International Regulations**

**IATA-DGR** 

UN/ID No. : UN 3105

Proper shipping name : Organic peroxide type D, liquid

Class : 5

Packing group : Not assigned by regulation

Labels : Organic Peroxides, Keep Away From Heat

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 5

ger aircraft)

570

570

8/10

# SikaCor VEL (NZ) Hardener



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/12/13

 4.0
 2024/12/16
 100000038663
 Date of first issue: 2021/07/04

**IMDG-Code** 

UN number : UN 3105

Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 EmS Code : F-J, S-R Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

NZS 5433

UN number : UN 3105

Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 Hazchem Code : 2WE Marine pollutant : no

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **Section 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

#### **HSNO Approval Number**

HSR002678

#### **Tolerable Exposure Limits (TEL)**

Not applicable

## **Environmental Exposure Limits (EEL)**

Not applicable

#### **HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

# SikaCor VEL (NZ) Hardener



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/12/13

 4.0
 2024/12/16
 100000038663
 Date of first issue: 2021/07/04

The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

#### **Section 16: Other information**

Revision Date : 2024/12/16 Date format : dd.mm.yyyy

Full text of other abbreviations

NZ BEI : New Zealand. Biological Exposure Indices

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit

NZ OEL / WES-Ceiling : Workplace Exposure Standard - Ceiling ADG : Australian Dangerous Goods Code.

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service
DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

NZ / EN