Sikafloor-81 EpoCem - Part C



Version 4.0	Revision Date: 2023/03/12		SDS Number: 000000033678	Date of last issue: 2021/03/06 Date of first issue: 2017/11/01
Section 1:	Identification			
Produ	ct name	:	Sikafloor-81 EpoCem - Part C	
Manu	facturer or supplier's de	etai	ils	
Comp	any	:	Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
Telepl	hone	:	+64 9 820 2900	
Emerç	gency telephone number	:	0800 734 607	
E-mai	l address	:	info@nz.sika.com	
Telefa	ах	:	+64 9 828 4091	
Recor	mmended use of the ch	em	ical and restrictions on use	
Produ	ct use	:	Special system	

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

1 / 10

Sikafloor-81 EpoCem - Part C



Version 4.0	Revision Date: 2023/03/12	SDS Number: 000000033678	Date of last issue: 2021/03/06 Date of first issue: 2017/11/01			
		P280 Wear protective glov	es/ eye protection/ face protection.			
		 Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. 				
		Storage: P403 + P233 Store in a we tightly closed.	ell-ventilated place. Keep container			
		Disposal:				
		P501 Dispose of contents/ disposal plant.	container to an approved waste			
Other	hazards which do not	result in classification				

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 -< 70
Cement (chromium reduced)	65997-15-1	>= 30 -< 50

Section 4: First-aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness.

Sikafloor-81 EpoCem - Part C



Versi 4.0	on Revision Date: 2023/03/12		SDS Number: 000000033678	Date of last issue: 2021/03/06 Date of first issue: 2017/11/01		
			In the case of contact with eyes, r of water and seek medical advice Continue rinsing eyes during trans Remove contact lenses. Keep eye wide open while rinsing	sport to hospital.		
	If swallowed Most important symptoms and effects, both acute and delayed		Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.			
			irritant effects Cough Respiratory disorder Excessive lachrymation Dermatitis See Section 11 for more detailed and symptoms. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	information on health effects		
	Notes to physician	:	Treat symptomatically.			
Sect	ion 5: Fire-fighting measure	s				
	Suitable extinguishing media	:	Use extinguishing measures that cumstances and the surrounding			
	Hazardous combustion prod- ucts	:	No hazardous combustion produc	ts are known		
	Specific extinguishing meth-	:	Standard procedure for chemical	fires.		

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters

Section 6: Accidental release measures

ods

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

Sikafloor-81 EpoCem - Part C



Version 4.0	Revision Date: 2023/03/12		SDS Number: 000000033678	Date of last issue: 2021/03/06 Date of first issue: 2017/11/01
Section 7:	Handling and storage	;		
	e on protection against ad explosion	:		t ventilation at places where dust
Advice	e on safe handling	:	section 8). Do not get in eyes, on skin, For personal protection see Smoking, eating and drinkin plication area.	occupational exposure limits (see or on clothing.
Hygie	ne measures	:	Handle in accordance with g practice. When using do not eat or dr When using do not smoke. Wash hands before breaks	
Condi	tions for safe storage	:	Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with loo	
Furthe age st	er information on stor- ability	:	Keep in a dry place. No decomposition if stored	and applied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	WES-TWA (Respirable dust)	0.05 mg/m3	NZ OEL
	Further inform			
		WES-TWA (Respirable dust)	0.05 mg/m3	NZ OEL
Cement (chromium reduced)	65997-15-1	WES-TWA	3 mg/m3	NZ OEL
	Further information: Skin sensitiser			
		WES-TWA (Respirable dust)	1 mg/m3	NZ OEL

Personal protective equipment

Respiratory protection

: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates

Sikafloor-81 EpoCem - Part C



Version 4.0	Revision Date: 2023/03/12		SDS Number: 000000033678	Date of last issue: 2021/03/06 Date of first issue: 2017/11/01			
			that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.				
Hand	Hand protection Eye protection			us gloves complying with an worn at all times when handling sessment indicates this is nec-			
Eye p				ith an approved standard should nent indicates this is necessary.			
Skin a	and body protection	:		lation to its type, to the concen- ous substances, and to the spe-			

Section 9: Physical and chemical properties

Appearance	:	powder
Colour	:	grey
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	> 11 Concentration: 50 %
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available

Sikafloor-81 EpoCem - Part C



Versi 4.0	on Revision Date: 2023/03/12		SDS Number: 000000033678	Date of last issue: 2021/03/06 Date of first issue: 2017/11/01
	Density		No data available	
	Bulk density	:	ca. 1,340 kg/m3	
	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic Viscosity, kinematic Explosive properties		No data available	
			No data available	
			No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds (VOC) content	:	no VOC contained	
Sec	tion 10: Stability and reactivi	ty		
	Reactivity	:	No dangerous reaction known un	der conditions of normal use.
	Chemical stability	:	The product is chemically stable.	
	Possibility of hazardous reac- tions	:	No hazards to be specially mention	oned.
	Conditions to avoid	:	No data available	
	Incompatible materials	:	No data available	

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Sikafloor-81 EpoCem - Part C



/ersion .0	Revision Date: 2023/03/12	SDS Number: 000000033678	Date of last issue: 2021/03/06 Date of first issue: 2017/11/0				
Respi	ratory or skin sensitisati	on					
Skin s	sensitisation						
Not cla	assified based on available	e information.					
Respi	ratory sensitisation						
Not cla	assified based on available	e information.					
Chror	nic toxicity						
Germ	cell mutagenicity						
Not cla	Not classified based on available information.						
Carci	nogenicity						
Not cla	Not classified based on available information.						
Repro	Reproductive toxicity						
Not cla	assified based on available	e information.					
	- single exposure						
May c	ause respiratory irritation.						
	- repeated exposure						
	assified based on available	e information.					
-	ation toxicity						
NOT CI	assified based on available	e information.					
Section 12	2: Ecological information						
Ecoto	oxicity						
No da	ta available						
Persis	stence and degradability						
No da	ta available						
	cumulative potential						
	ta available						
No da	ity in coil						
Mobil	•						
Mobil No da	ta available						
Mobil No da	•						
Mobil No da	ta available adverse effects						

Disposal methods

- Waste from residues
- : Do not contaminate ponds, waterways or ditches with chemical or used container.

Sikafloor-81 EpoCem - Part C



ersion .0	Revision Date: 2023/03/12	SDS Number: 00000033678	Date of last issue: 2021/03/06 Date of first issue: 2017/11/01
		Send to a licensed waste n	nanagement company.
Contaminated packaging		: Empty remaining contents. Dispose of as unused prod Do not re-use empty conta	luct.
Section 14	4: Transport informatio	n	
Intern	national Regulations		
Class Subsid Packin Labels Packin aircraf Packin ger ain	 No. Pr shipping name diary risk ng group s ng instruction (cargo ft) ng instruction (passen-rcraft) -Code 	 Not applicable 	
Class Subsid Packir Labels EmS (r shipping name diary risk ng group s	 Not applicable 	
		to Annex II of MARPOL 73/78	and the IBC Code
-	oplicable for product as a nal Regulations	supplied.	
NZS UN n Prope Class Subs Pack Labe	5433 umber er shipping name s idiary risk ing group	 Not applicable 	
-	al precautions for use	r	

Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable

Sikafloor-81 EpoCem - Part C



ersion .0	Revision Date: 2023/03/12		SDS Number: 000000033678	Date of last issue: 2021/03/06 Date of first issue: 2017/11/01	
Sched	ules of Toxic Chemica	lls and	Precursors		
HSNO HSR00	Approval Number				
HSM (Controls				
Certifie Tracki	ed handler certificate r ng hazardous substan to the Health and Safe	ce not	required.	es) Regulations 2017, for further infor-	
The co	omponents of this pr	oduct	are reported in the follow	wing inventories:	
NZIoC		: (On the inventory, or in com	npliance with the inventory	
Section 16	: Other information				
Revisi	on Date	: 2	2023/03/12		
Date for	ormat	: (dd.mm.yyyy		
Full te	ext of other abbreviat	ions			
NZ OE	L		: New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants		
NZ OE	L/WES-TWA		Workplace Exposure Standard - Time Weighted average		
ADG			Australian Dangerous Goods Code.		
ADR : European Agreement concerning the International Car					
CAS			Dangerous Goods by Road		
DNEL			Chemical Abstracts Service		
EC50			Derived no-effect level Half maximal effective concentration		
GHS			Globally Harmonized Syste		
IATA			International Air Transport Association		
IMDG			International Maritime Code for Dangerous Goods		
LD50				nount of a material, given all at	
			once, which causes the de test animals)	ath of 50% (one half) of a group of	
LC50		ä	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MARP	OL	: i	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL			Occupational Exposure Lir		
PBT		: 1	Persistent, bioaccumulative	e and toxic	
PNEC		: 1	Predicted no effect concen	itration	
REAC	H	i	and of the Council of 18 De stration, Evaluation, Autho	2006 of the European Parliament ecember 2006 concerning the Reg- prisation and Restriction of Chemi- g a European Chemicals Agency	
SVHC			Substances of Very High C		
vPvB			Very persistent and very bioaccumulative		

Sikafloor-81 EpoCem - Part C



Version Revision Date: 4.0 2023/03/12 SDS Number: 000000033678

Date of last issue: 2021/03/06 Date of first issue: 2017/11/01

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NZ / EN