# **PROHESIVE PRO MAXSET**



SDS Number: 100000013045 Revision Date: 2019/04/03 Version 1.1

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : PROHESIVE PRO MAXSET

Product code : 100000013045

Type of product : powder

## Manufacturer or supplier's details

Company : Sika (NZ) Ltd.

85-91 Patiki Road

Avondale

Auckland AKL 1026 : +64 9 820 2900

Telephone

Emergency telephone num-

: 0800 734 607

ber

: +64 9 828 4091 Telefax E-mail address info@nz.sika.com

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

6.3 Skin irritation : Category A

8.3 Serious eye damage Category A

6.7 Carcinogenicity Category A

# **GHS** label elements

Hazard pictograms





Signal word : Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

H350 May cause cancer.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physi-

cian.

# **PROHESIVE PRO MAXSET**



Version 1.1 SDS Number: 100000013045 Revision Date: 2019/04/03

P321 Specific treatment (see supplemental first aid instructions

on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P362 Take off contaminated clothing and wash before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

# Other hazards which do not result in classification

None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

Chemical name	CAS-No.	Concentration (%)
Quartz (SiO2)	14808-60-7	>= 30 - < 50
Cement (chromium reduced)	65997-15-1	>= 30 - < 50
calcium carbonate	471-34-1	>= 1 - < 10
Quartz (SiO2) <5µm	14808-60-7	>= 0.1 - < 1

# **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

: irritant effects

Cough

Respiratory disorder

# PROHESIVE PRO MAXSET



Version 1.1 SDS Number: 100000013045 Revision Date: 2019/04/03

Excessive lachrymation

**Dermatitis** 

See Section 11 for more detailed information on health effects

and symptoms.
Causes skin irritation.

Causes serious eye damage.

May cause cancer.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod-

ucts

: No hazardous combustion products are known

Specific extinguishing meth-

ods

: Standard procedure for chemical fires.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec-

tive equipment and emer-

gency procedures

: Use personal protective equipment.

Avoid breathing dust.

Deny access to unprotected persons.

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Methods and materials for

containment and cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

: Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Advice on safe handling : Do not breathe vapours/dust.

Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Hygiene measures : Handle in accordance with good industrial hygiene and safety

# **PROHESIVE PRO MAXSET**



Version 1.1 SDS Number: 100000013045 Revision Date: 2019/04/03

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Store in original container.

Keep in a well-ventilated place. Observe label precautions.

Store in accordance with local regulations.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	WES-TWA (Respirable dust)	0.1 mg/m3	NZ OEL
	Further inform	ation: Confirmed	l carcinogen	
		TWA (Respirable fraction)	0.025 mg/m3	ACGIH
		TWA (Respirable fraction)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable fraction)	0.025 mg/m3	ACGIH
		TWA (Respirable fraction)	0.025 mg/m3 (Silica)	ACGIH
Cement (chromium reduced)	65997-15-1	WES-TWA	10 mg/m3	NZ OEL
	Further information: Currently under review			
		TWA (Respirable fraction)	1 mg/m3	ACGIH
calcium carbonate	471-34-1	WES-TWA	10 mg/m3 (Calcium car- bonate)	NZ OEL
Quartz (SiO2) <5µm	14808-60-7	WES-TWA (Respirable dust)	0.1 mg/m3	NZ OEL
	Further information: Confirmed carcinogen			
		TWA (Respirable fraction)	0.025 mg/m3	ACGIH
		TWA (Respirable fraction)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable fraction)	0.025 mg/m3	ACGIH
		TWA (Res-	0.025 mg/m3	ACGIH

# PROHESIVE PRO MAXSET



Version 1.1 SDS Number: 100000013045 Revision Date: 2019/04/03

	pirable frac-	(Silica)	ı
	tion)		ı

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an ap-

proved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Colour : white

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/range / Freezing

point

: No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

# **PROHESIVE PRO MAXSET**

Version 1.1 SDS Number: 100000013045 Revision Date: 2019/04/03

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Molecular weight : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

: Stable under recommended storage conditions.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition

products

.

No decomposition if stored and applied as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# **Acute toxicity**

No data available

# Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/eye irritation

Causes serious eye damage.

# Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

# **PROHESIVE PRO MAXSET**



Version 1.1 SDS Number: 100000013045 Revision Date: 2019/04/03

# **Chronic toxicity**

# Germ cell mutagenicity

Not classified based on available information.

# Carcinogenicity

May cause cancer.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

# STOT - repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

# **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

No data available

# Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

# Mobility in soil

No data available

#### Other adverse effects

# **Product:**

Additional ecological infor-

mation

: There is no data available for this product.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

# **International Regulations**

# **PROHESIVE PRO MAXSET**



Version 1.1 SDS Number: 100000013045 Revision Date: 2019/04/03

#### **UNRTDG**

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

#### **NZS 5433**

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

#### **HSNO Approval Number**

HSR002545

#### **HSNO Controls**

Certified handler certificate not required.

HSW tracking not required.

Refer to WORKSAFE user guide to the HSW regulations for further information.

# The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

# **SECTION 16. OTHER INFORMATION**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.