Sikaflex[®]-552 AT



Version 3.0	Revision Date: 2023/09/10		SDS Number: 10000000750	Date of last issue: 2021/09/07 Date of first issue: 2018/01/18
Section 1	: Identification			
Produ	uct name	:	Sikaflex [®] -552 AT	
Manu	facturer or supplier's de	etai	ls	
Comp	bany	:	Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
Telep	hone	:	+64 9 820 2900	
Emer	gency telephone number	:	0800 734 607	
E-ma	il address	:	info@nz.sika.com	
Telefa	ах	:	+64 9 828 4091	
Section 2	: Hazard identification			
GHS	Classification			
Flamr	mable liquids	:	Category 4	
GHS	label elements			
	rd pictograms Il word	:	None Warning	
Haza	rd statements	:	H227 Combustible liquid.	
Preca	autionary statements	:	and other ignition sources. No	protective clothing/ eye protec-
			Response: P370 + P378 In case of fire: L alcohol-resistant foam to extin	Jse dry sand, dry chemical or nguish.
			Storage:	

P403 Store in a well-ventilated place.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Sikaflex[®]-552 AT



Version	Revision Date:	SDS Number:	Date of last issue: 2021/09/07
3.0	2023/09/10	10000000750	Date of first issue: 2018/01/18

Other hazards which do not result in classification None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
distillates (petroleum), hydrotreated light paraf-	64742-55-8	>= 1 -< 10
finic		
Polypropylene glycol	25322-69-4	>= 1 -< 10

Section 4: First-aid measures

General advice	:	No hazards which require special first aid measures.	
If inhaled	:	Move to fresh air.	
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.	
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
Most important symptoms and effects, both acute and delayed	:	No known significant effects or hazards. See Section 11 for more detailed information on health effects and symptoms.	
Notes to physician	:	Treat symptomatically.	

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Carbon dioxide (CO2)
Unsuitable extinguishing media	:	Water
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.

Sikaflex[®]-552 AT



Version 3.0	Revision Date: 2023/09/10		SDS Number: 10000000750	Date of last issue: 2021/09/07 Date of first issue: 2018/01/18
	cial protective equipment refighters	:	In the event of fire, wear self	-contained breathing apparatus.
Section 6	: Accidental release me	as	ures	
tive e	onal precautions, protec- equipment and emer- y procedures	:	For personal protection see	section 8.
Envii	ronmental precautions	:	No special environmental pr	ecautions required.
	ods and materials for ainment and cleaning up	:	Wipe up with absorbent mate Keep in suitable, closed con	
Section 7	: Handling and storage			
	ce on protection against nd explosion	:	Normal measures for prever	ntive fire protection.
Advid	ce on safe handling	:	For personal protection see Follow standard hygiene me products	section 8. asures when handling chemical
Hygi	ene measures	:	Handle in accordance with g practice. When using do not eat or dri When using do not smoke. Wash hands before breaks a	
Cond	litions for safe storage	:	Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with loc	

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
distillates (petroleum), hy- drotreated light paraffinic	64742-55-8	WES-TWA (Mist)	5 mg/m3	NZ OEL
	Further informa vapour.	ation: Sampled b	y a method that does	s not collect
		WES-STEL (Mist)	10 mg/m3	NZ OEL

Sikaflex[®]-552 AT



Version 3.0	Revision Date: 2023/09/10	-	DS Number: 00000000750			sue: 2021/09/07 sue: 2018/01/18
Occu	pational exposure lim	its of deco	mposition prod	ucts		
Comp	oonents	CAS-N	lo. Value t (Form exposit	of	Control parame- ters / Permissible concentration	Basis
metha	anol	67-56-	1 WES-S	STÉL	250 ppm 328 mg/m3	NZ OEL
			r information: Ex ring, Skin absor		an also be estimate	ed by biological
			WES-T	ΓWA	200 ppm 262 mg/m3	NZ OEL
Perso	onal protective equipm	ent				
Respi	Respiratory protection		ation is provided xposures are wit lter class for the expected contar rapour/aerosol/p	or expos hin recor respirato minant co articulate is concer	es) that may arise water that may arise water that is exceeded	emonstrates guidelines. for the max- rhen han-
Hand	Hand protection		ved standard sh	ould be v	s gloves complying worn at all times wh essment indicates t	en handling
Еуе р	protection				n an approved stand ent indicates this is i	
Skin a	Skin and body protection :				tion to its type, to thus substances, and	

Section 9: Physical and chemical properties

Appearance	:	paste
Colour	:	various
Odour	:	slight
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	73.5 °C (164.3 °F) (Method: closed cup)

Sikaflex[®]-552 AT



Versi 3.0	on Revision Date: 2023/09/10		SDS Number: 10000000750	Date of last issue: 2021/09/07 Date of first issue: 2018/01/18
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	0.01 hPa	
	Relative vapour density	:	No data available	
	Density	:	ca. 1.49 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	Not applicable	
	Viscosity, kinematic	:	Not applicable	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds (VOC) content	:	1.1 g/l	

Section 10: Stability and reactivity

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

Sikaflex[®]-552 AT



ersion 0	Revision Date: 2023/09/10	SDS Number: 10000000750	Date of last issue: 2021/09/07 Date of first issue: 2018/01/18
ection 11	: Toxicological informat	ion	
Acute	toxicity		
	assified based on available	e information.	
<u>Comp</u>	onents:		
	ropylene glycol: oral toxicity :	LD50 (Rat): 1,000 mg/kg	
	corrosion/irritation		
Serio	us eye damage/eye irritat assified based on available	tion	
	ratory or skin sensitisati		
	sensitisation		
	assified based on available	e information.	
-	ratory sensitisation assified based on available	e information.	
Chron	ic toxicity		
	cell mutagenicity assified based on available	e information.	
	nogenicity assified based on available	e information.	
Repro	ductive toxicity		
Not cla	assified based on available	e information.	
	 single exposure assified based on available 	e information.	
STOT	- repeated exposure		
Not cla	assified based on available	e information.	
-	ation toxicity assified based on available	e information.	
Section 12	: Ecological information		
Ecoto	xicity		
	ta available		

Persistence and degradability

No data available

Sikaflex[®]-552 AT



/ersion 3.0	Revision Date: 2023/09/10		SDS Number: 10000000750	Date of last issue: 2021/09/07 Date of first issue: 2018/01/18	
	cumulative potential ta available				
	ity in soil ta available				
Other	adverse effects				
matior	onal ecological infor- า		There is no data available for this product.		
Section 13	3: Disposal considera	tion	S		
Dispo	sal methods				
Waste	e from residues	:	Do not contaminate ponds, cal or used container. Send to a licensed waste n	waterways or ditches with chemi- nanagement company.	
Contaminated packaging		:	Empty remaining contents. Dispose of as unused prod Do not re-use empty contai Do not burn, or use a cuttin	uct. iners.	

Section 14: Transport information

International Regulations		
Marine pollutant	:	no
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen-	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
ger aircraft)	•	
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

Sikaflex[®]-552 AT



Version	Revision Date:	SDS Number:	Date of last issue: 2021/09/07
3.0	2023/09/10	10000000750	Date of first issue: 2018/01/18

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable
Marine pollutant	:	no

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

HSNO Approval Number

HSR002657

HSW Controls

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

NZIoC	: On the inventory, or in compliance with the inventory
-------	---

Section 16: Other information

Revision Date Date format	:	2023/09/10 dd.mm.yyyy		
Full text of other abbreviations				
NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants		
NZ OEL / WES-TWA NZ OEL / WES-STEL ADG ADR	:	Workplace Exposure Standard - Time Weighted average Workplace Exposure Standard - Short-Term Exposure Limit Australian Dangerous Goods Code. European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS DNEL	:	Chemical Abstracts Service Derived no-effect level		

Sikaflex[®]-552 AT



Version 3.0	Revision Date: 2023/09/10		SDS Number: 10000000750	Date of last issue: 2021/09/07 Date of first issue: 2018/01/18	
EC50		:	Half maximal effective conc	entration	
GHS		:	Globally Harmonized System	n	
IATA		:	International Air Transport A	Association	
IMDG		:	: International Maritime Code for Dangerous Goods		
LD50		:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)		
LC50		:		(concentrations of the chemical in animals during the observation	
MARPOL		:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL		:	Occupational Exposure Limit		
PBT		:	Persistent, bioaccumulative and toxic		
PNEC		:	: Predicted no effect concentration		
REACH		:	and of the Council of 18 De istration, Evaluation, Author	006 of the European Parliament cember 2006 concerning the Reg- isation and Restriction of Chemi- a European Chemicals Agency	
SVHC		:	Substances of Very High Co		
vPvB		:	Very persistent and very bio		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NZ / EN