Sikasil RTV Bathroom & Tile



Version 2.0	Revision Date: 2022/12/07		SDS Number: 100000035777	Date of last issue: 2020/12/10 Date of first issue: 2020/12/10
Section 1:	Identification			
Produ	ict name	:	Sikasil RTV Bathroom & Tile	
Manu	facturer or supplier's de	etai	ls	
Comp	bany	:	Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
Telep	hone	:	+64 9 820 2900	
Emerg	gency telephone number	:	0800 734 607	
E-mai	l address	:	info@nz.sika.com	
Telefa	ах	:	+64 9 828 4091	
	mmended use of the ch act use		ical and restrictions on use Sealant/adhesive	

Section 2: Hazard identification

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
GHS label elements		
Hazard pictograms	:	L D
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements	:	Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection.
		Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

Sikasil RTV Bathroom & Tile



Version	Revision Date: 2022/12/07	SDS Number:	Date of last issue: 2020/12/10
2.0		100000035777	Date of first issue: 2020/12/10
		CENTER/ doctor. P332 + P313 If skin irritati tion.	rinsing. Immediately call a POISON on occurs: Get medical advice/ atten- ntaminated clothing and wash it before

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)
triacetoxyethylsilane	17689-77-9	>= 1 -< 3
Oligomeric ethyl and methyl acetoxysilanes	Not Assigned	>= 1 -< 3

Section 4: First-aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	irritant effects Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms.

Sikasil RTV Bathroom & Tile



/ersion 2.0	Revision Date: 2022/12/07		SDS Number: 100000035777	Date of last issue: 2020/12/10 Date of first issue: 2020/12/10
			Causes skin irritation. Causes serious eye damag	le.
Notes t	to physician	:	Treat symptomatically.	
Section 5:	Fire-fighting measure	s		
Suitabl	e extinguishing media	:	Use extinguishing measure cumstances and the surrou	s that are appropriate to local cir- nding environment.
Hazaro ucts	lous combustion prod-	:	No hazardous combustion	products are known
Specifi ods	c extinguishing meth-	:	Standard procedure for che	emical fires.
Specia for firef	l protective equipment ïghters	:	In the event of fire, wear se	If-contained breathing apparatus.
Section 6:	Accidental release me	easi	ures	
tive eq	al precautions, protec- uipment and emer- procedures	:	Use personal protective eq Deny access to unprotected	
Enviror	nmental precautions	:	Try to prevent the material courses. No special environmental p	from entering drains or water recautions required.
	Methods and materials for : containment and cleaning up		Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	
Section 7:	Handling and storage			
	on protection against d explosion	:	Normal measures for preve	entive fire protection.
Advice	on safe handling	:	section 8). Do not get in eyes, on skin, For personal protection see Smoking, eating and drinkin plication area.	
Hygien	e measures	:	Handle in accordance with practice. When using do not eat or d	good industrial hygiene and safety



Sikasil RTV Bathroom & Tile

Version 2.0	Revision Date: 2022/12/07		SDS Number: 100000035777	Date of last issue: 2020/12/10 Date of first issue: 2020/12/10
Condit	ions for safe storage	W : Ko pl		and at the end of workday. ed in a dry and well-ventilated cal regulations.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
methanol	67-56-1	WES-STEL	250 ppm 328 mg/m3	NZ OEL		
	Further information: Exposure can also be estimated by biological monitoring, Skin absorption					
		WES-TWA	200 ppm 262 mg/m3	NZ OEL		
acetic acid	64-19-7	WES-TWA	10 ppm 25 mg/m3	NZ OEL		
		WES-STEL	15 ppm 37 mg/m3	NZ OEL		

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.

Sikasil RTV Bathroom & Tile



Vers 2.0	ion Revision Date: 2022/12/07		SDS Number: 100000035777	Date of last issue: 2020/12/10 Date of first issue: 2020/12/10
	Appearance	:	paste	
	Colour	:	various	
	Odour	:	characteristic	
	Odour Threshold	:	No data available	
	рН	:	Not applicable	
	Melting point/range / Freezin	ng :	No data available	
	point Boiling point/boiling range	:	No data available	
	Flash point	:	> 93.3 °C (> 199.9 °F) (Method: closed cup)	
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Uppe flammability limit	er :	No data available	
	Lower explosion limit / Lowe flammability limit	er :	No data available	
	Vapour pressure	:	0.01 hPa	
	Relative vapour density	:	No data available	
	Density	:	ca. 1 g/cm3 (20 °C (68 °F))	
	Solubility(ies) Water solubility	:	No data available	
	Solubility in other solven	ts :	No data available	
	Partition coefficient: n-	:	No data available	
	octanol/water Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	> 7 mm2/s (40 °C (104 °F))	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	



Sikasil RTV Bathroom & Tile

Version 2.0	Revision Date: 2022/12/07		SDS Number: 100000035777	Date of last issue: 2020/12/10 Date of first issue: 2020/12/10	
	le organic compounds) content	:	no VOC contained		
Section 1	0: Stability and reactivi	ty			
React	tivity	:	No dangerous reaction kno	own under conditions of normal use.	
Chem	ical stability	:	The product is chemically stable.		
Possi tions	Possibility of hazardous reac-		No hazards to be specially mentioned.		
Condi	itions to avoid	:	No data available		
Incom	patible materials	:	No data available		
	Hazardous decomposition : products		methanol acetic acid		
Section 1	1: Toxicological inform	atio	n		
Acute	e toxicity				

Not classified based on available information.

Components:

triacetoxyethylsilane:		
Acute oral toxicity	:	LD50 Oral (R

: LD50 Oral (Rat): 1,460 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Sikasil RTV Bathroom & Tile



Version 2.0	Revision Date: 2022/12/07		SDS Number: 100000035777	Date of last issue: 2020/12/10 Date of first issue: 2020/12/10
	- single exposure			
	assified based on avail	able	information.	
	- repeated exposure			
Not cl	assified based on avail	able	information.	
-	ation toxicity			
Not cl	assified based on avail	able	information.	
Section 12	2: Ecological informat	ion		
	oxicity Ita available			
Persi	stence and degradabi	lity		
	cumulative potential Ita available			
	l ity in soil Ita available			
Other	adverse effects			
<u>Produ</u> Additi mation	onal ecological infor-	:	There is no data available f	or this product.
Section 13	3: Disposal considera	tion	5	
Dispo	osal methods			
Waste	e from residues	:	Send to a licensed waste m	nanagement company.
			Do not contaminate ponds, cal or used container.	waterways or ditches with chemi-
Conta	minated packaging	:	Empty remaining contents. Dispose of as unused produ	uct.
			Do not re-use empty contai	ners.

Section 14: Transport information

International Regulations

IATA-DGR	
UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable

Sikasil RTV Bathroom & Tile



ersion	Revision Date: 2022/12/07		SDS Number: 100000035777	Date of last issue: 2020/12/10 Date of first issue: 2020/12/10
aircra	ng instruction (cargo	:	Not applicable Not applicable Not applicable	
IMDG	rcraft) i- Code		N. C P I.	
	umber or ID number er shipping name	÷	Not applicable Not applicable	
Class		÷	Not applicable	
Subsi	diary risk	:	Not applicable	
	ng group	:	Not applicable	
Label	-	÷	Not applicable	
EmS Marin	e pollutant	:	Not applicable Not applicable	
	•	a to	Annex II of MARPOL 73/78	and the IBC Code
Not applicable for product as supplied.				
Natio	nal Regulations			
NZS	5433			
UN n	umber or ID number	:	Not applicable	
•	er shipping name	:	Not applicable	
Class	-	:	Not applicable	
	idiary risk	÷	Not applicable	
Pack Labe	ing group		Not applicable Not applicable	
	hem Code	:	Not applicable	
Snec	ial precautions for use	\r		
•	•	-1		
nota	pplicable			

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

HSNO Approval Number

HSR002670

HSW Controls

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

NZIOC : On the inventory, or in compliance with the inventory

Section 16: Other information

Sikasil RTV Bathroom & Tile



Versi 2.0	ion	Revision Date: 2022/12/07		SDS Number: 100000035777	Date of last issue: 2020/12/10 Date of first issue: 2020/12/10	
	Revision Date form		:	2022/12/07 dd.mm.yyyy		
	Full text	of other abbreviation	ons			
	NZ OEL		:	New Zealand. Workplace Exposic Contaminants	sure Standards for Atmospher-	
		WES-TWA WES-STEL	:	Workplace Exposure Standard - Time Weighted average Workplace Exposure Standard - Short-Term Exposure Limit Australian Dangerous Goods Code. European Agreement concerning the International Carriage of		
	CAS DNEL EC50		:	Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration		
	GHS IATA IMDG		:	Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods		
	LD50		:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)		
	LC50		:	Median lethal concentration (con air that kills 50% of the test anin period)		
	MARPOL		:	International Convention for the Ships, 1973 as modified by the		
	OEL PBT PNEC REACH		::	Occupational Exposure Limit Persistent, bioaccumulative and Predicted no effect concentratio Regulation (EC) No 1907/2006	toxic n of the European Parliament	
	SVHC vPvB		:	and of the Council of 18 Decem istration, Evaluation, Authorisati cals (REACH), establishing a Eu Substances of Very High Conce Very persistent and very bioacc	on and Restriction of Chemi- uropean Chemicals Agency ern	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NZ / EN