Sika Floor Fix



Version 4.0	Revision Date: 2022/05/10	SDS Number: 000000610001	Date of last issue: 2020/12/08 Date of first issue: 2018/08/29
Section 1:	Identification		
Produ	ct name	Sika Floor Fix	
Produ	ct code	: 000000610001	
Manu	facturer or supplier's	details	
Comp	any	: Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
Telepl	hone	: +64 9 820 2900	
Emergency telephone num- ber		: 0800 734 607	
Telefa	IX	: +64 9 828 4091	
E-mai	l address	: info@nz.sika.com	

Section 2: Hazard identification

GHS Classification		
Skin irritation	:	6.3A
Serious eye damage	:	8.3A
Skin sensitisation	:	6.5B
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
Precautionary statements	:	Prevention:
		 P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection.
		Response:
		P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Sika Floor Fix



Version 4.0	Revision Date: 2022/05/10	SDS Number: 000000610001	Date of last issue: 2020/12/08 Date of first issue: 2018/08/29
		cian. P321 Specific treatment (se on this label). P333 + P313 If skin irritatio vice/ attention.	DISON CENTER or doctor/ physi- ee supplemental first aid instructions n or rash occurs: Get medical ad- d clothing and wash before reuse.
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste

Other hazards which do not result in classification None known.

: Mixture

Section 3: Composition/information on ingredients

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 30 -< 50
Cement, portland, chemicals	65997-15-1	>= 20 -< 30
Fumes, silica	69012-64-2	>= 1 -< 10
calcium oxide	1305-78-8	>= 1 -< 10
calcium sulfate	7778-18-9	>= 1 -< 10

Section 4: First-aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Sika Floor Fix



Version 4.0	Revision Date: 2022/05/10	SDS Number: 000000610001	Date of last issue: 2020/12/08 Date of first issue: 2018/08/29
		Obtain medical attention.	
	mportant symptoms fects, both acute and ed	 irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more de and symptoms. Causes skin irritation. May cause an allergic skin Causes serious eye damage 	
Notes	to physician	: Treat symptomatically.	

Suitable extinguishing media:Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.Hazardous combustion products:No hazardous combustion products are knownucts:Specific extinguishing methods:Specific extinguishing methods:Standard procedure for chemical fires.ods:In the event of fire, wear self-contained breathing apparatus.

Section 6: Accidental release measures

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.	
Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see	

Sika Floor Fix



Versio 4.0	Version Revision Date: 4.0 2022/05/10		SDS Number: 000000610001	Date of last issue: 2020/12/08 Date of first issue: 2018/08/29
			section 8). Do not get in eyes, on skin, or on For personal protection see section Persons with a history of skin sen ma, allergies, chronic or recurrent not be employed in any process i used. Smoking, eating and drinking sho plication area. Follow standard hygiene measured products	on 8. Isitisation problems or asth- t respiratory disease should in which this mixture is being ould be prohibited in the ap-
ł	Hygiene measures	:	Handle in accordance with good i practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and a	
(Conditions for safe storage	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local reg	gulations.
-	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and a	pplied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	WES-TWA (Respirable dust)	0.05 mg/m3	NZ OEL
	Further information	ation: Confirmed	carcinogen	
Cement, portland, chemicals	65997-15-1	WES-TWA	3 mg/m3	NZ OEL
	Further information	ation: Skin sensi	tiser	
		WES-TWA (Respirable dust)	1 mg/m3	NZ OEL
Fumes, silica	69012-64-2	WES-TWA (Respirable dust)	2 mg/m3	NZ OEL
calcium oxide	1305-78-8	WES-TWA	2 mg/m3	NZ OEL
calcium sulfate	7778-18-9	WES-TWA	10 mg/m3	NZ OEL

Personal protective equipment

Respiratory protection

: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

Sika Floor Fix



Version 4.0	Revision Date: 2022/05/10		SDS Number: 000000610001	Date of last issue: 2020/12/08 Date of first issue: 2018/08/29
			imum expected contaminant (gas/vapour/aerosol/particul dling the product. If this cond contained breathing apparat	ates) that may arise when han- centration is exceeded, self-
Hand	Hand protection		Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.	
Еуе р	Eye protection		: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary	
Skin and body protection		:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.	

Section 9: Physical and chemical properties

Appearance	:	powder
Colour	:	light grey
Odour	:	pleasant
Odour Threshold	:	No data available
рН	:	Not applicable
	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	2 g/cm3 (20 °C (68 °F))
Solubility(ies)		

Sika Floor Fix



Versi 4.0	on Revision Date: 2022/05/10		SDS Number: 000000610001	Date of last issue: 2020/12/08 Date of first issue: 2018/08/29
	Water solubility	:	No data available	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n-	:	No data available	
	octanol/water Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	Not applicable	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	
	Volatile organic compounds	:	Directive 2010/75/EU of 24 Nover emissions (integrated pollution pr Not applicable	

Section 10: Stability and reactivity

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

Section 11: Toxicological information

Acute toxicity Not classified based on avail	able information.
Components: calcium sulfate: Acute oral toxicity	: LD50 Oral (Rat): > 5,000 mg/kg
Skin corrosion/irritation Causes skin irritation.	
Serious eye damage/eye iri Causes serious eye damage	
	6/9

Sika Floor Fix



Version 4.0	Revision Date: 2022/05/10	SDS Number: 000000610001	Date of last issue: 2020/12/08 Date of first issue: 2018/08/29
Resp	iratory or skin sensitisat	ion	
Skins	sensitisation		
May c	ause an allergic skin react	ion.	
Resp	iratory sensitisation		
Not cl	assified based on available	e information.	
Chroi	nic toxicity		
Germ	cell mutagenicity		
Not cl	assified based on available	e information.	
	nogenicity		
Not cl	assified based on available	e information.	
•	oductive toxicity		
	assified based on available	e information.	
	- single exposure		
	assified based on available	e information.	
	 repeated exposure assified based on available 	ainformation	
-	ation toxicity assified based on available	e information.	
Section 12	2: Ecological information		
Ecoto	oxicity		
No da	ta available		
Persi	stence and degradability		
No da	ta available		
	cumulative potential		
No da	ta available		
	ity in soil		
	ta available		
Other	adverse effects		
<u>Produ</u>			
Additi matio	5	There is no data available f	for this product.

Disposal methods

- Waste from residues
- : Do not contaminate ponds, waterways or ditches with chemical or used container.

Sika Floor Fix



Version 4.0	Revision Date: 2022/05/10	SDS Number: 000000610001	Date of last issue: 2020/12/08 Date of first issue: 2018/08/29		
		Send to a licensed waste mana	agement company.		
Conta	minated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers			
Section 14: Transport information					
Interr	national Regulations				
UNRT Not re	DG egulated as a dangerous	good			
IATA- Not re	DGR egulated as a dangerous	good			

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433 Not regulated as a dangerous good

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

HSNO Approval Number

HSR002544

HSW Controls

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

NZIOC : On the inventory, or in compliance with the inventory

Section 16: Other information

Full text of other abbreviations

NZ OEL

: New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

Sika Floor Fix



Version 4.0	Revision Date: 2022/05/10		SDS Number: 000000610001	Date of last issue: 2020/12/08 Date of first issue: 2018/08/29	
NZ O ADG	EL / WES-TWA	:	Workplace Exposure Standa Australian Dangerous Goods		
ADR		:		ning the International Carriage of	
CAS		:	Chemical Abstracts Service		
DNEL	_	:	Derived no-effect level		
EC50		:	Half maximal effective concentration		
GHS		:	: Globally Harmonized System		
IATA		:	International Air Transport As		
IMDG		:	: International Maritime Code for Dangerous Goods		
LD50		:	Median lethal dosis (the amo once, which causes the death test animals)	unt of a material, given all at h of 50% (one half) of a group of	
LC50		:		concentrations of the chemical in nimals during the observation	
MARI	POL	:	. ,	he Prevention of Pollution from ne Protocol of 1978	
OEL		:	Occupational Exposure Limit		
PBT		:	Persistent, bioaccumulative a		
PNEC	2	:	Predicted no effect concentra	ation	
REAC	CH	:	and of the Council of 18 Dece istration, Evaluation, Authoris	06 of the European Parliament ember 2006 concerning the Reg- sation and Restriction of Chemi- e European Chemicals Agency	
SVHC		:	Substances of Very High Cor	ncern	
vPvB		:	Very persistent and very bioa	accumulative	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NZ / EN