Sika ViscoCrete-20 HE (NZ)



Versio 5.0	on Revision Date: 2023/06/18		SDS Number: 000000607472	Date of last issue: 2022/06/01 Date of first issue: 2017/08/31
Sect	ion 1: Identification			
	Product name		Sika ViscoCrete-20 HE (NZ)	
	Manufacturer or supplier's d	etai	ils	
	Company	:	Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
	Telephone	:	+64 9 820 2900	
	Emergency telephone number	:	0800 734 607	
	E-mail address	:	info@nz.sika.com	
	Telefax	:	+64 9 828 4091	

Section 2: Hazard identification

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Hazardous to the aquatic environment - chronic hazard	:	Category 3
GHS label elements		
Hazard pictograms	:	I Z
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection.
		Response: P302 + P352 IF ON SKIN: Wash with plenty of water.

Sika ViscoCrete-20 HE (NZ)



Version 5.0	Revision Date: 2023/06/18	SDS Number: 000000607472	Date of last issue: 2022/06/01 Date of first issue: 2017/08/31
		water for several minutes. and easy to do. Continue r CENTER/ doctor. P332 + P313 If skin irritatio tion.	10 IF IN EYES: Rinse cautiously with Remove contact lenses, if present insing. Immediately call a POISON on occurs: Get medical advice/ atten- taminated clothing and wash it before
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture		
Components		
Chemical name	CAS-No.	Concentration (% w/w)
sodium thiocyanate	540-72-7	>= 3 -< 10
2,2'-(methylimino)diethanol	105-59-9	>= 1 -< 10
L-(+)-lactic acid	79-33-4	>= 3 -< 5
triisobutyl phosphate	126-71-6	>= 0.1 -< 1
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	>= 0.0003 -< 0.0025

Section 4: First-aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water.

Sika ViscoCrete-20 HE (NZ)



Version 5.0	Revision Date: 2023/06/18		SDS Number: 000000607472	Date of last issue: 2022/06/01 Date of first issue: 2017/08/31
			Do not give milk or alcoholi Never give anything by mo Obtain medical attention.	ic beverages. uth to an unconscious person.
	mportant symptoms fects, both acute and ed	:	irritant effects Excessive lachrymation Dermatitis See Section 11 for more de and symptoms. Causes skin irritation. Causes serious eye damag	etailed information on health effects ge.
Notes	to physician	:	Treat symptomatically.	
Section 5:	Fire-fighting measures	5		
Suitab	le extinguishing media	:	Use extinguishing measure cumstances and the surrou	es that are appropriate to local cir- inding environment.
Hazaro ucts	dous combustion prod-	:	No hazardous combustion	products are known
Specif ods	ic extinguishing meth-	:	Standard procedure for che	emical fires.
	al protective equipment fighters	:	In the event of fire, wear se	elf-contained breathing apparatus.
Section 6:	Accidental release me	as	ures	
tive eq	nal precautions, protec- juipment and emer- procedures	:	Use personal protective eq Deny access to unprotecte	
Enviro	nmental precautions	:	Try to prevent the material courses. No special environmental p	from entering drains or water precautions required.
	ds and materials for nment and cleaning up	:	Soak up with inert absorbe acid binder, universal binde Keep in suitable, closed co	
Section 7:	Handling and storage			
	on protection against d explosion	:	Normal measures for preve	entive fire protection.
Advice	on safe handling	:	Avoid exceeding the given section 8). Do not get in eyes, on skin	occupational exposure limits (see , or on clothing.
			3 / 10	

Sika ViscoCrete-20 HE (NZ)



Version 5.0	Revision Date: 2023/06/18		SDS Number: 000000607472	Date of last issue: 2022/06/01 Date of first issue: 2017/08/31
			plication area.	section 8. g should be prohibited in the ap- asures when handling chemical
Hygie	Hygiene measures		Handle in accordance with g practice. When using do not eat or dri When using do not smoke. Wash hands before breaks a	
Cond	itions for safe storage	:	Keep container tightly closed place. Containers which are opened kept upright to prevent leaka Store in accordance with loc	d must be carefully resealed and ge.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal	protective	equipment
----------	------------	-----------

Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.

Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	light brown

Sika ViscoCrete-20 HE (NZ)



Version 5.0	Revision Date: 2023/06/18		SDS Number: 000000607472	Date of last issue: 2022/06/01 Date of first issue: 2017/08/31
Odour		:	pleasant	
Odour	Threshold	:	No data available	
pН		:	ca. 8.2	
	g point/range / Freezing	:	No data available	
point Boiling	point/boiling range	:	No data available	
Flash p	point	:	Not applicable	
Evapoi	ration rate	:	No data available	
Flamm	ability (solid, gas)	:	No data available	
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapou	r pressure	:	23 hPa	
Relativ	e vapour density	:	No data available	
Density	y	:	1.1 g/cm3 (20 °C (68 °F))	
Solubil Wa	ity(ies) ter solubility	:	soluble	
Sol	ubility in other solvents	:	No data available	
	on coefficient: n-	:	No data available	
octano Auto-ig	nition temperature	:	No data available	
Decom	position temperature	:	No data available	
Viscos Visc	ity cosity, dynamic	:	No data available	
Viso	cosity, kinematic	:	> 7 mm2/s (40 °C (104 °F))	
Explos	ive properties	:	No data available	
Oxidizi	ng properties	:	No data available	
	e organic compounds content	:	1.4 g/l	

Section 10: Stability and reactivity

Sika ViscoCrete-20 HE (NZ)



Versie 5.0	on Revisio 2023/0	on Date: 6/18	SDS Number: 000000607472	Date of last issue: 2022/06/01 Date of first issue: 2017/08/31
	Reactivity		No dangerous reaction known under conditions of normal use.	
	Chemical stability		The product is chemically s	table.
	Possibility of hazardous reac- tions		No hazards to be specially	mentioned.
	Conditions to avoid		No data available	
	Incompatible materials		No data available	

Section 11: Toxicological information

Acute toxicity Not classified based on available information.
Components:L-(+)-lactic acid:Acute dermal toxicity:LD50 Dermal (Rabbit): 3,730 mg/kg
Skin corrosion/irritation Causes skin irritation.
Serious eye damage/eye irritation Causes serious eye damage.
Respiratory or skin sensitisation
 Skin sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information.
Chronic toxicity
Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. Reproductive toxicity Not classified based on available information. STOT - single exposure Not classified based on available information. STOT - repeated exposure Not classified based on available information.

Sika ViscoCrete-20 HE (NZ)



ersion .0	Revision Date: 2023/06/18	SDS Number: 000000607472	Date of last issue: 2022/06/01 Date of first issue: 2017/08/31
-	ation toxicity assified based on availab	le information	
	2: Ecological information		
Ecoto	xicity		
Comp	onents:		
Toxici	butyl phosphate: ty to daphnia and other c invertebrates	: LC50 (Daphnia magna (\ Exposure time: 48 h	Water flea)): 11 mg/l
Toxicit plants	ty to algae/aquatic	: IC50 (Desmodesmus sul Exposure time: 72 h	ospicatus (green algae)): 34.1 mg/l
	/I-2H-isothiazole-3-one (ctor (Acute aquatic tox-	(OIT): : 100	
	tor (Chronic aquatic y)	: 100	
	stence and degradability ta available	y	
	cumulative potential ta available		
	ity in soil ta available		
Other	adverse effects		
<u>Produ</u>	ict:		
-	onal ecological infor-	: An environmental hazard unprofessional handling	l cannot be excluded in the event of or disposal.

Section 13: Disposal considerations

Disposal methods		
Waste from residues	:	Send to a licensed waste management company.
		Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.
		Do not re-use empty containers.

Sika ViscoCrete-20 HE (NZ)



Version	Revision Date:	SDS Number:	Date of last issue: 2022/06/01
5.0	2023/06/18	00000607472	Date of first issue: 2017/08/31

Section 14: Transport information

International Regulations

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		
Packing instruction (passen-	:	Not applicable
ger aircraft)		
yer anoran)		
-		
IMDG-Code UN number	:	Not applicable
IMDG-Code UN number	:	Not applicable Not applicable
IMDG-Code	:	Not applicable
IMDG-Code UN number Proper shipping name Class		Not applicable Not applicable
IMDG-Code UN number Proper shipping name		Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk		Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group		Not applicable Not applicable Not applicable

: Not applicable Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Marine pollutant

NZS 5433		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

HSNO Approval Number

HSR002544 Construction Products Subsidiary Hazard Group Standard

Sika ViscoCrete-20 HE (NZ)



/ersion 5.0	Revision Date: 2023/06/18	SDS Number: 000000607472	Date of last issue: 2022/06/01 Date of first issue: 2017/08/31
HSW	Controls		
	ed handler certificate not	•	
	•	•	es) Regulations 2017, for further infor-
	omnonante of this prod	uct are reported in the follow	ving inventories.
The C	omponents or this prou	uci ale reporteu în the follow	ning inventories.

Revision Date Date format	:	2023/06/18 dd.mm.yyyy	
Full text of other abbreviations			
ADG	:	Australian Dangerous Goods Code.	
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CAS	:	Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	
GHS	:	Globally Harmonized System	
ΙΑΤΑ	:	International Air Transport Association	
IMDG	:	International Maritime Code for Dangerous Goods	
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)	
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)	
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency	
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NZ / EN





Version 5.0

Revision Date: 2023/06/18

SDS Number: 000000607472

Date of last issue: 2022/06/01 Date of first issue: 2017/08/31