# SikaCeram® CleanGrout



SDS Number: Version **Revision Date:** Date of last issue: 2022/04/19 2024/04/22 000000134317 Date of first issue: 2018/03/07 5.0

#### **Section 1: Identification**

Product name SikaCeram® CleanGrout

## Manufacturer or supplier's details

Company Sika (NZ) Ltd.

85-91 Patiki Road

Avondale

Auckland AKL 1026

+64 9 820 2900 Telephone

Emergency telephone number : 0800 734 607

E-mail address info@nz.sika.com

Telefax +64 9 828 4091

### Recommended use of the chemical and restrictions on use

Product use : Sealant/adhesive

#### Section 2: Hazard identification

**GHS Classification** 

Skin corrosion/irritation Category 2

Serious eye damage/eye irri-

tation

Category 1

Skin sensitisation Category 1

Carcinogenicity Category 1

Specific target organ toxicity - :

single exposure

Category 3 (Respiratory system)

Specific target organ toxicity - : Category 1

repeated exposure

**GHS** label elements

Hazard pictograms







Signal word

Hazard statements H315 Causes skin irritation.

## SikaCeram® CleanGrout



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/04/19

 5.0
 2024/04/22
 000000134317
 Date of first issue: 2018/03/07

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated

exposure.

Precautionary statements

P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

None known.

# SikaCeram® CleanGrout



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/04/19

 5.0
 2024/04/22
 000000134317
 Date of first issue: 2018/03/07

#### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)	
calcium carbonate	471-34-1	>= 30 -< 50	
Quartz (SiO2)	14808-60-7	>= 30 -< 50	
Cement, portland, chemicals	65997-15-1	>= 20 -< 30	
Quartz (SiO2) <5µm	14808-60-7	>= 0.1 -< 1	
2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	>= 0.0003 -< 0.0025	

#### Section 4: First-aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

irritant effects sensitising effects

Cough

Respiratory disorder Allergic reactions Excessive lachrymation

**Dermatitis** 

See Section 11 for more detailed information on health effects

and symptoms.
Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

# SikaCeram® CleanGrout



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/04/19

 5.0
 2024/04/22
 000000134317
 Date of first issue: 2018/03/07

May cause cancer.

Causes damage to organs through prolonged or repeated

exposure.

Notes to physician : Treat symptomatically.

Section 5: Fire-fighting measures

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod- :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### Section 6: Accidental release measures

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Avoid breathing dust.

Deny access to unprotected persons.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Methods and materials for

containment and cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

### Section 7: Handling and storage

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

# SikaCeram® CleanGrout



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/04/19

 5.0
 2024/04/22
 000000134317
 Date of first issue: 2018/03/07

Do not breathe vapours/dust.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Store in original container.

Keep in a well-ventilated place. Observe label precautions.

Store in accordance with local regulations.

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

## Section 8: Exposure controls/personal protection

## Components with workplace control parameters

	-				
Components	CAS-No.	Value type	Control parame-	Basis	
		(Form of	ters / Permissible		
		exposure)	concentration		
calcium carbonate	471-34-1	WES-TWA	10 mg/m3	NZ OEL	
			(Calcium car-		
			bonate)		
Quartz (SiO2)	14808-60-7	WES-TWA	0.05 mg/m3	NZ OEL	
		(Respirable	_		
		dust)			
	Further information: Confirmed carcinogen				
		WES-TWA	0.05 mg/m3	NZ OEL	
		(Respirable			
		dust)			
Cement, portland, chemicals	65997-15-1	WES-TWA	3 mg/m3	NZ OEL	
	Further information: Skin sensitiser				
		WES-TWA	1 mg/m3	NZ OEL	
		(Respirable			
		dust)			
Quartz (SiO2) <5µm	14808-60-7	WES-TWA	0.05 mg/m3	NZ OEL	
		(Respirable			
		dust)			
	Further information: Confirmed carcinogen				
		WES-TWA	0.05 mg/m3	NZ OEL	
		(Respirable			
		dust)			

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

## SikaCeram® CleanGrout



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/04/19

 5.0
 2024/04/22
 000000134317
 Date of first issue: 2018/03/07

The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

### Section 9: Physical and chemical properties

Appearance : powder

Colour : various

Odour : characteristic

Odour Threshold : No data available

pH : > 10 (20 °C (68 °F))

Concentration: 50 %

Melting point/freezing point : Not applicable

Initial boiling point and boiling :

range

Not applicable

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : No data available

Relative vapour density : No data available

# SikaCeram® CleanGrout



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/04/19

 5.0
 2024/04/22
 000000134317
 Date of first issue: 2018/03/07

Density : ca. 1.3 kg/l (20 °C (68 °F))

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

Volatile organic compounds

(VOC) content

0.1 g/l

#### Section 10: Stability and reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

## **Section 11: Toxicological information**

#### **Acute toxicity**

Not classified due to lack of data.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

# SikaCeram® CleanGrout



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/04/19

 5.0
 2024/04/22
 000000134317
 Date of first issue: 2018/03/07

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

## Respiratory sensitisation

Not classified due to lack of data.

#### **Chronic toxicity**

### Germ cell mutagenicity

Not classified due to lack of data.

## Carcinogenicity

May cause cancer.

## Reproductive toxicity

Not classified due to lack of data.

### STOT - single exposure

May cause respiratory irritation.

## STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### **Aspiration toxicity**

Not classified due to lack of data.

### Section 12: Ecological information

### **Ecotoxicity**

#### Components:

### 2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- : 100

icity)

M-Factor (Chronic aquatic : 100

toxicity)

### Persistence and degradability

No data available

## Bioaccumulative potential

No data available

## Mobility in soil

No data available

#### Other adverse effects

## **Product:**

Additional ecological infor-

mation

: There is no data available for this product.

# SikaCeram® CleanGrout



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/04/19

 5.0
 2024/04/22
 000000134317
 Date of first issue: 2018/03/07

#### Section 13: Disposal considerations

**Disposal methods** 

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

### **Section 14: Transport information**

#### **International Regulations**

Marine pollutant : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

**IMDG-Code** 

Not applicable UN number Proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Labels Not applicable EmS Code Not applicable Marine pollutant Not applicable

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

NZS 5433

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

## SikaCeram® CleanGrout



SDS Number: Version Revision Date: Date of last issue: 2022/04/19 000000134317 2024/04/22 Date of first issue: 2018/03/07 5.0

Hazchem Code Not applicable

Marine pollutant no

Special precautions for user

Not applicable

#### Section 15: Regulatory information

## Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

## **HSNO Approval Number**

HSR002679

#### **Tolerable Exposure Limits (TEL)**

Not applicable

#### **Environmental Exposure Limits (EEL)**

Not applicable

#### **HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

**NZIoC** : On the inventory, or in compliance with the inventory

#### **Section 16: Other information**

**Revision Date** 2024/04/22 Date format dd.mm.yyyy

#### Full text of other abbreviations

NZ OEL New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

NZ OEL / WES-TWA Workplace Exposure Standard - Time Weighted average

Australian Dangerous Goods Code. ADG

**ADR** European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS **Chemical Abstracts Service** Derived no-effect level DNEL

EC50 Half maximal effective concentration

**GHS** Globally Harmonized System

International Air Transport Association IATA

International Maritime Code for Dangerous Goods **IMDG** Median lethal dosis (the amount of a material, given all at LD50

once, which causes the death of 50% (one half) of a group of

test animals)

# SikaCeram® CleanGrout



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/04/19

 5.0
 2024/04/22
 000000134317
 Date of first issue: 2018/03/07

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

NZ / EN