

# SAFETY DATA SHEET

## Sika® Sigunit® L-530 AF (NZ)



Version  
2.0

Revision Date:  
2023/07/18

SDS Number:  
100000041908

Date of last issue: 2022/03/06  
Date of first issue: 2022/03/06

### Section 1: Identification

Product name : Sika® Sigunit® L-530 AF (NZ)

#### Manufacturer or supplier's details

Company : Sika (NZ) Ltd.  
85-91 Patiki Road  
Avondale  
Auckland AKL 1026

Telephone : +64 9 820 2900

Emergency telephone number : 0800 734 607

E-mail address : info@nz.sika.com

Telefax : +64 9 828 4091

#### Recommended use of the chemical and restrictions on use

Product use : Concrete admixtures

### Section 2: Hazard identification

#### GHS Classification

Serious eye damage/eye irritation : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements :

#### Prevention:

P280 Wear eye protection/ face protection.

#### Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

# SAFETY DATA SHEET

## Sika® Sigunit® L-530 AF (NZ)



Version  
2.0

Revision Date:  
2023/07/18

SDS Number:  
100000041908

Date of last issue: 2022/03/06  
Date of first issue: 2022/03/06

### Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
aluminium hydroxide sulphate	1332-73-6	>= 50 -< 70

### Section 4: First-aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Keep eye wide open while rinsing.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Excessive lachrymation  
See Section 11 for more detailed information on health effects and symptoms.  
irritant effects  
Causes serious eye damage.
- Notes to physician : Treat symptomatically.

### Section 5: Fire-fighting measures

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Hazardous combustion prod- : No hazardous combustion products are known

# SAFETY DATA SHEET

## Sika® Sigunit® L-530 AF (NZ)



Version  
2.0

Revision Date:  
2023/07/18

SDS Number:  
100000041908

Date of last issue: 2022/03/06  
Date of first issue: 2022/03/06

---

ucts

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Deny access to unprotected persons.

Environmental precautions : Try to prevent the material from entering drains or water courses.  
No special environmental precautions required.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

### Section 7: Handling and storage

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Follow standard hygiene measures when handling chemical products

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with local regulations.

---

# SAFETY DATA SHEET

## Sika® Sigunit® L-530 AF (NZ)



Version  
2.0

Revision Date:  
2023/07/18

SDS Number:  
100000041908

Date of last issue: 2022/03/06  
Date of first issue: 2022/03/06

---

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Eye protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

---

### Section 9: Physical and chemical properties

- Appearance : liquid
- Colour : cloudy
- Odour : characteristic
- Odour Threshold : No data available
- pH : ca. 2.5
- Melting point/range / Freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET

## Sika® Sigunit® L-530 AF (NZ)



Version  
2.0

Revision Date:  
2023/07/18

SDS Number:  
100000041908

Date of last issue: 2022/03/06  
Date of first issue: 2022/03/06

---

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : 23 hPa

Relative vapour density : No data available

Density : ca. 1.44 g/cm<sup>3</sup> (20 °C (68 °F))

Solubility(ies)

    Water solubility : soluble

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Volatile organic compounds (VOC) content : no VOC contained

---

### Section 10: Stability and reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

---

### Section 11: Toxicological information

#### Acute toxicity

Not classified based on available information.

---

# SAFETY DATA SHEET

## Sika® Sigunit® L-530 AF (NZ)



Version  
2.0

Revision Date:  
2023/07/18

SDS Number:  
100000041908

Date of last issue: 2022/03/06  
Date of first issue: 2022/03/06

---

### **Skin corrosion/irritation**

Not classified based on available information.

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Chronic toxicity**

#### **Germ cell mutagenicity**

Not classified based on available information.

#### **Carcinogenicity**

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### **STOT - single exposure**

Not classified based on available information.

#### **STOT - repeated exposure**

Not classified based on available information.

#### **Aspiration toxicity**

Not classified based on available information.

---

## **Section 12: Ecological information**

### **Ecotoxicity**

No data available

### **Persistence and degradability**

No data available

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Other adverse effects**

#### **Product:**

Additional ecological information : There is no data available for this product.

# SAFETY DATA SHEET

## Sika® Sigunit® L-530 AF (NZ)



Version  
2.0

Revision Date:  
2023/07/18

SDS Number:  
100000041908

Date of last issue: 2022/03/06  
Date of first issue: 2022/03/06

---

### Section 13: Disposal considerations

#### Disposal methods

- Waste from residues : Send to a licensed waste management company.
- Do not contaminate ponds, waterways or ditches with chemical or used container.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.
- Do not re-use empty containers.
- 

### Section 14: Transport information

#### International Regulations

##### IATA-DGR

- UN/ID No. : Not applicable
- Proper shipping name : Not applicable
- Class : Not applicable
- Subsidiary risk : Not applicable
- Packing group : Not applicable
- Labels : Not applicable
- Packing instruction (cargo aircraft) : Not applicable
- Packing instruction (passenger aircraft) : Not applicable

##### IMDG-Code

- UN number : Not applicable
- Proper shipping name : Not applicable
- Class : Not applicable
- Subsidiary risk : Not applicable
- Packing group : Not applicable
- Labels : Not applicable
- EmS Code : Not applicable
- Marine pollutant : Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### NZS 5433

- UN number : Not applicable
- Proper shipping name : Not applicable
- Class : Not applicable
- Subsidiary risk : Not applicable
- Packing group : Not applicable
- Labels : Not applicable
- Hazchem Code : Not applicable
-

# SAFETY DATA SHEET

## Sika® Sigunit® L-530 AF (NZ)



Version  
2.0

Revision Date:  
2023/07/18

SDS Number:  
100000041908

Date of last issue: 2022/03/06  
Date of first issue: 2022/03/06

### Special precautions for user

Not applicable

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

### HSNO Approval Number

HSR002544

### HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

### The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

## Section 16: Other information

Revision Date : 2023/07/18  
Date format : dd.mm.yyyy

### Full text of other abbreviations

ADG : Australian Dangerous Goods Code.  
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
CAS : Chemical Abstracts Service  
DNEL : Derived no-effect level  
EC50 : Half maximal effective concentration  
GHS : Globally Harmonized System  
IATA : International Air Transport Association  
IMDG : International Maritime Code for Dangerous Goods  
LD50 : Median lethal dose (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)  
LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)  
MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978  
OEL : Occupational Exposure Limit  
PBT : Persistent, bioaccumulative and toxic  
PNEC : Predicted no effect concentration  
REACH : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency



# SAFETY DATA SHEET

## Sika® Sigunit® L-530 AF (NZ)



Version  
2.0

Revision Date:  
2023/07/18

SDS Number:  
100000041908

Date of last issue: 2022/03/06  
Date of first issue: 2022/03/06

---

SVHC : Substances of Very High Concern  
vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

|| Changes as compared to previous version !

NZ / EN