Sikafloor 29/31/33N Purcem Part C

Revision Date: 2019/08/02

Version 1.1

SDS Number: 000000612917

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Sikafloor 29/31/33N Purcem Part C
Product code	: 000000612917
Type of product	: solid
Manufacturer or supplier's o	letails
Company	: Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026
Telephone Emergency telephone num- ber	: +64 9 820 2900 : 0800 734 607
Telefax E-mail address	: +64 9 828 4091 : info@nz.sika.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

6.3 Skin irritation	: Category A
8.3 Serious eye damage	: Category A
9.1 Aquatic toxicity (Acute or Chronic)	: Category D

GHS label elements

Hazard pictograms

Signal word :	Danger
Hazard statements :	H315 Causes skin irritation. H318 Causes serious eye damage. H402 Harmful to aquatic life.
Precautionary statements :	 Prevention: P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see supplemental first aid instructions on this label). P332 + P313 If skin irritation occurs: Get medical advice/ atten-

Sikafloor 29/31/33N Purcem Part C

Version 1.1



tion. P362 Take off contaminated clothing and wash before reuse. **Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Cement CEM I 52,5 R Aalborg weiss	Not Assigned	>= 90 - <= 100
calcium dihydroxide	1305-62-0	>= 1 - < 10

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	irritant effects Cough Respiratory disorder Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation. Causes serious eye damage.

Sikafloor 29/31/33N Purcem Part C



Version 1.1	SDS Number: 000000612917	Revision Date: 2019/08/02
Notes to physician	: Treat symptomatically.	
SECTION 5. FIREFIGHTING MEA	SURES	
Suitable extinguishing media	: Use extinguishing measures that are a cumstances and the surrounding envi	
Hazardous combustion prod- ucts	: No hazardous combustion products a	re known
Specific extinguishing meth- ods	: Standard procedure for chemical fires	
Special protective equipment	: In the event of fire, wear self-containe	d breathing apparatus.

for firefighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	se personal protect eny access to unpre	
Environmental precautions	y to prevent the ma ourses.	aterial from entering drains or water
Methods and materials for containment and cleaning up		disposal without creating dust. sed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	Normal measures for preventive fire protection.	
Advice on safe handling	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the plication area. Follow standard hygiene measures when handling chem products	ар-
Hygiene measures	Handle in accordance with good industrial hygiene and s practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	afety
Conditions for safe storage	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.	

Sikafloor 29/31/33N Purcem Part C





SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components with workplace control parameters				
Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
calcium dihydroxide	1305-62-0	WES-TWA	5 mg/m3	NZ OEL
		TWA	5 mg/m3	ACGIH
Personal protective equipmer	nt			
Respiratory protection	ventilation is µ that exposure The filter clas imum expecte (gas/vapour/a dling the prod	provided or expo s are within reco s for the respirat ed contaminant of erosol/particulat	es) that may arise whether the second s	monstrates guidelines. or the max- nen han-
Hand protection	proved standa	ard should be wo	s gloves complying w orn at all times when sessment indicates th	handling
Eye protection			h an approved stand ent indicates this is n	
Skin and body protection		nount of danger	ation to its type, to the	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid
Colour	: white
Odour	: characteristic
Odour Threshold	: No data available
рН	: No data available
Melting point/range / Freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: > 93.3 °C (> 199.9 °F) Method: closed cup
Evaporation rate	: No data available

Sikafloor 29/31/33N Purcem Part C

Version 1.1	SDS Number: 000000612917	Revision Date: 2019/08/02
Flammability	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 1.6 g/cm3 (20 °C (68 °F) ())	
Solubility(ies) Water solubility Solubility in other solvents	No data availableNo data available	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: Not applicable	
Explosive properties	: No data available	
Molecular weight	: No data available	

®

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reac- tions	: Stable under recommended storage conditions.
Conditions to avoid	: No data available
Incompatible materials	: No data available
Hazardous decomposition products	: No decomposition if stored and applied as directed.

Sikafloor 29/31/33N Purcem Part C

Version 1.1



SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity No data available Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation Causes serious eye damage. Respiratory or skin sensitisation Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information. **Chronic toxicity** Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. **Reproductive toxicity** Not classified based on available information. STOT - single exposure Not classified based on available information. STOT - repeated exposure Not classified based on available information. Aspiration toxicity Not classified based on available information. **SECTION 12. ECOLOGICAL INFORMATION** Ecotoxicity No data available Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

Components:

Sikafloor 29/31/33N Purcem Part C

Version 1.1

SDS Number: 000000612917



Cement CEM I 52,5 R Aalborg weiss:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

HSNO Approval Number

HSR002670

HSW Controls

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

Sikafloor 29/31/33N Purcem Part C

Version 1.1

SDS Number: 000000612917



The components of this product are reported in the following inventories:NZIoC: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.