# Sarnacol®-2170



Version **Revision Date:** SDS Number: Date of last issue: 2022/05/24 2023/09/12 100000030319 Date of first issue: 2020/01/19 3.0

### **Section 1: Identification**

Product name : Sarnacol®-2170

## Manufacturer or supplier's details

Company Sika (NZ) Ltd.

85-91 Patiki Road

Avondale

Auckland AKL 1026

Telephone +64 9 820 2900

Emergency telephone number: 0800 734 607

E-mail address info@nz.sika.com

Telefax +64 9 828 4091

## Recommended use of the chemical and restrictions on use

Product use : Adhesive, For professional users only.

### Section 2: Hazard identification

**GHS Classification** 

Flammable liquids Category 2

Serious eye damage/eye irri-

tation

Category 2

Effects on or via lactation

Specific target organ toxicity - : Category 2

repeated exposure

Hazardous to the aquatic

environment - chronic hazard

Category 3

**GHS** label elements

Hazard pictograms



Signal word Danger

H225 Highly flammable liquid and vapour. Hazard statements

H319 Causes serious eye irritation.

H362 May cause harm to breast-fed children.

# Sarnacol®-2170



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/05/24

 3.0
 2023/09/12
 100000030319
 Date of first issue: 2020/01/19

H373 May cause damage to organs through prolonged or re-

peated exposure.

H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe mist or vapours.

P263 Avoid contact during pregnancy and while nursing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards which do not result in classification

None known.

#### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

# Sarnacol®-2170



Version SDS Number: **Revision Date:** Date of last issue: 2022/05/24 2023/09/12 100000030319 Date of first issue: 2020/01/19 3.0

Chemical name	CAS-No.	Concentration (% w/w)
ethyl acetate	141-78-6	>= 30 -< 50
butanone	78-93-3	>= 30 -< 50
alkanes, C14-17, chloro	85535-85-9	>= 0.1 -< 0.25

Section 4: First-aid measures

General advice Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled Move to fresh air.

Consult a physician after significant exposure.

Take off contaminated clothing and shoes immediately. In case of skin contact

> Wash off with soap and plenty of water. If symptoms persist, call a physician.

Immediately flush eye(s) with plenty of water. In case of eye contact

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

irritant effects

**Excessive lachrymation** 

Loss of balance

Vertigo

See Section 11 for more detailed information on health effects

and symptoms.

Causes serious eye irritation.

May cause harm to breast-fed children.

May cause damage to organs through prolonged or repeated

exposure.

Notes to physician Treat symptomatically.

Section 5: Fire-fighting measures

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

Water

ucts

Hazardous combustion prod- : No hazardous combustion products are known

# Sarnacol®-2170



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/05/24

 3.0
 2023/09/12
 100000030319
 Date of first issue: 2020/01/19

Specific extinguishing meth-

ods

Use water spray to cool unopened containers.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Hazchem Code : 3Y

#### Section 6: Accidental release measures

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons.

Environmental precautions : Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

# Section 7: Handling and storage

Advice on protection against

fire and explosion

Use explosion-proof equipment.

Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

Take precautionary measures against electrostatic discharg-

es.

Advice on safe handling : Do not breathe vapours or spray mist.

Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours).

Follow standard hygiene measures when handling chemical

products

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

# Sarnacol®-2170



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/05/24

 3.0
 2023/09/12
 100000030319
 Date of first issue: 2020/01/19

Conditions for safe storage : Store in original container.

Store in cool place.

Keep in a well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Store in accordance with local regulations.

### Section 8: Exposure controls/personal protection

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
ethyl acetate	141-78-6	WES-TWA	200 ppm 720 mg/m3	NZ OEL	
butanone	78-93-3	WES-STEL	300 ppm 890 mg/m3	NZ OEL	
	Further information: Exposure can also be estimated by biological monitoring				
		WES-TWA	150 ppm 445 mg/m3	NZ OEL	

### **Biological occupational exposure limits**

Components	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
butanone	78-93-3	MEK	Urine	End of	2 mg/l	NZ BEI
				shift		

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

# Sarnacol®-2170



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/05/24

 3.0
 2023/09/12
 100000030319
 Date of first issue: 2020/01/19

## Section 9: Physical and chemical properties

Appearance : viscous

Colour : red

Odour : solvent-like

Odour Threshold : No data available

pH : Not applicable substance/mixture is non-soluble (in water)

Melting point/range / Freezing :

point

Boiling point/boiling range

No data available

: 77 - 78 °C (171 - 172 °F)

Flash point : -5 °C (23 °F)

(Method: closed cup)

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

Upper explosion limit

13 %(V)

Lower explosion limit / Lower :

flammability limit

Lower explosion limit

2.1 %(V)

Vapour pressure : 105 hPa (20 °C (68 °F))

Relative vapour density : No data available

Density : ca. 0.9 g/cm3 (20 °C (68 °F))

Solubility(ies)

Water solubility : partly soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : 425 °C (797 °F)

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : ca. 1,500 mPa.s (20 °C (68 °F))

Viscosity, kinematic :  $> 20.5 \text{ mm2/s} (40 ^{\circ}\text{C} (104 ^{\circ}\text{F}))$ 

# Sarnacol®-2170



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/05/24

 3.0
 2023/09/12
 100000030319
 Date of first issue: 2020/01/19

Explosive properties : No data available

Oxidizing properties : No data available

Volatile organic compounds

(VOC) content

693.0 g/l

## Section 10: Stability and reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions. Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : No data available

## **Section 11: Toxicological information**

### **Acute toxicity**

Not classified due to lack of data.

# **Components:**

ethyl acetate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): ca. 1,600 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

butanone:

Acute oral toxicity : LD50 Oral (Rat): 3,300 mg/kg

Acute inhalation toxicity : LC50 (Rat): 36 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

#### Skin corrosion/irritation

Not classified due to lack of data.

## Serious eye damage/eye irritation

Causes serious eye irritation.

# Sarnacol®-2170



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/05/24

 3.0
 2023/09/12
 100000030319
 Date of first issue: 2020/01/19

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

## Respiratory sensitisation

Not classified due to lack of data.

### **Chronic toxicity**

## Germ cell mutagenicity

Not classified due to lack of data.

## Carcinogenicity

Not classified due to lack of data.

## Reproductive toxicity

May cause harm to breast-fed children.

## STOT - single exposure

Not classified due to lack of data.

## STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Aspiration toxicity**

Not classified due to lack of data.

## Section 12: Ecological information

## **Ecotoxicity**

### Components:

## alkanes, C14-17, chloro:

M-Factor (Acute aquatic tox- : 1

icity)

M-Factor (Chronic aquatic : 10

toxicity)

### Persistence and degradability

No data available

# **Bioaccumulative potential**

No data available

### Mobility in soil

No data available

### Other adverse effects

## **Product:**

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

# Sarnacol®-2170



**Revision Date:** SDS Number: Version Date of last issue: 2022/05/24 2023/09/12 100000030319 Date of first issue: 2020/01/19 3.0

# Section 13: Disposal considerations

**Disposal methods** 

Waste from residues : Send to a licensed waste management company.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

### Section 14: Transport information

**International Regulations** 

Marine pollutant no

**IATA-DGR** 

UN/ID No. UN 1133 Proper shipping name Adhesives

Class Packing group Ш

Flammable Liquids Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-355

ger aircraft)

Remarks Transport according to 3.3.3.1.1 IATA.

366

**IMDG-Code** 

**UN** number UN 1133 Proper shipping name **ADHESIVES** 

3 Class Ш Packing group Labels 3 EmS Code F-E, S-D Marine pollutant

no

Remarks Transport according to 2.3.2.2 IMDG.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**NZS 5433** 

UN number : UN 1133

# Sarnacol®-2170



Version Revision Date: SDS Number: Date of last issue: 2022/05/24 2023/09/12 100000030319 Date of first issue: 2020/01/19 3.0

Proper shipping name **ADHESIVES** 

Class 3 Packing group Ш Labels 3 Hazchem Code 3Y Marine pollutant no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **Section 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

## **HSNO Approval Number**

HSR002662

#### **HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

### The components of this product are reported in the following inventories:

**NZIoC** : On the inventory, or in compliance with the inventory

### **Section 16: Other information**

**Revision Date** 2023/09/12 Date format dd.mm.yyyy

### Full text of other abbreviations

NZ BEI New Zealand. Biological Exposure Indices

NZ OEL New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

NZ OEL / WES-TWA Workplace Exposure Standard - Time Weighted average NZ OEL / WES-STEL Workplace Exposure Standard - Short-Term Exposure Limit

Australian Dangerous Goods Code. ADG

European Agreement concerning the International Carriage of **ADR** 

Dangerous Goods by Road

Chemical Abstracts Service CAS Derived no-effect level **DNEL** 

Half maximal effective concentration EC50 **GHS** Globally Harmonized System

International Air Transport Association IATA

International Maritime Code for Dangerous Goods

**IMDG** 

# Sarnacol®-2170



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/05/24

 3.0
 2023/09/12
 100000030319
 Date of first issue: 2020/01/19

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

NZ / EN