




# CONTENTS

## **Sika Waterbar® - CONSTRUCTION AND MOVEMENT JOINTS** LIST OF DETAILS

900_020703_0602C_2002_en	Construction joint base slab r wall - With SikaSwell® A
900_020703_0603C_2002_en	Construction joint base slab to wall with kicker - With internal Sika Waterbar®
900_020703_0604C_2002_en	Construction joint base slab to wall with kicker - With external Sika Waterbar®
900_020703_0613C_2002_en	Construction joint base slab to wall with kicker - With external and internal Sika Waterbar®
900_020703_0605C_2002_en	Movement joint base slab, slab or wall - With internal Sika Waterbar®
900_020703_0630C_2002_en	Construction joint base slab or wall - With internal Sika Waterbar®
900_020703_0629C_2002_en	Construction joint base slab or wall - With external Sika Waterbar®
900_020703_0631C_2002_en	Construction joint base slab or wall - With external and internal Sika Waterbar®



Minimum clearance between the reinforcement and joint Sika Waterbar® is 20 mm

**CONSTRUCTION JOINT BASE SLAB TO WALL**  
**With internal centre placed Sika Waterbar®**

General Detail. Not to scale.


900\_020703\_0602C\_2002\_en\_NZ\_11\_2025  
 November 2025

**Sika (NZ) Ltd**  
 85 Patiki Road  
 Auckland 1026  
 New Zealand  
 Tel: +64 9 820 2900  
 www.sika.co.nz



**DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION**

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Minimum clearance between the reinforcement and joint Sika Waterbar® is 20 mm

**CONSTRUCTION JOINT BASE SLAB TO WALL WITH KICKER**

With internal centre placed Sika Waterbar®

General detail. Not to scale.


900\_020703\_0603C\_2002\_en\_NZ\_11\_2025  
November 2025

**Sika (NZ) Ltd**  
85 Patiki Road  
Auckland 1026  
New Zealand  
Tel: +64 9 820 2900  
www.sika.co.nz

**DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION**

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.





Minimum clearance between the reinforcement and joint Sika Waterbar® is 20 mm

### CONSTRUCTION JOINT BASE SLAB TO WALL WITH KICKER

With external Sika Waterbar®

General Detail. Not to scale.

900\_020703\_0604C\_2002\_en\_NZ\_11\_2025  
November 2025

Sika (NZ) Ltd

85 Patiki Road

Auckland 1026

New Zealand

Tel: +64 9 820 2900


www.sika.co.nz

**DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION**

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

**BUILDING TRUST**





Minimum clearance between the reinforcement and joint Sika Waterbar® is 20 mm

**CONSTRUCTION JOINT BASE SLAB TO WALL WITH KICKER**  
**With external and internal Sika Waterbar®**

General detail. Not to scale.

**DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION**


The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

900\_020703\_0613C\_2002\_en\_NZ\_11\_2025  
 November 2025

**Sika (NZ) Ltd**  
 85 Patiki Road  
 Auckland 1026  
 New Zealand  
 Tel: +64 9 820 2900  
 www.sika.co.nz

**BUILDING TRUST**





## MOVEMENT JOINT BASE SLAB, SLAB OR WALL

With internal Sika Waterbar®

General detail. Not to scale.

900\_020703\_0605C\_2002\_en\_NZ\_11\_2025  
November 2025

Sika (NZ) Ltd

85 Patiki Road

Auckland 1026

New Zealand

Tel: +64 9 820 2900


www.sika.co.nz

**DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION**

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

**BUILDING TRUST**





Minimum clearance between the reinforcement and joint Sika Waterbar® is 20 mm

**CONSTRUCTION JOINT BASE SLAB OR WALL**

With internal centre placed Sika Waterbar®

General detail. Not to scale.

900\_020703\_0630C\_2002\_en\_NZ\_11\_2025  
November 2025

**Sika (NZ) Ltd**

85 Patiki Road  
Auckland 1026  
New Zealand


Tel: +64 9 820 2900

www.sika.co.nz

**DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION**

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.





Minimum clearance between the reinforcement and joint Sika Waterbar® is 20 mm

**CONSTRUCTION JOINT BASE SLAB OR WALL**

With external Sika Waterbar®

General detail. Not to scale.

900\_020703\_0629C\_2002\_en\_NZ\_11\_2025  
November 2025

**Sika (NZ) Ltd**

85 Patiki Road  
Auckland 1026  
New Zealand

Tel: +64 9 820 2900


www.sika.co.nz

**DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION**

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

**BUILDING TRUST**





Minimum clearance between the reinforcement and joint Sika Waterbar® is 20 mm

### CONSTRUCTION JOINT BASE SLAB OR WALL

With external and internal Sika Waterbar®

General detail. Not to scale.

900\_020703\_0631C\_2002\_en\_NZ\_11\_2025  
November 2025

Sika (NZ) Ltd

85 Patiki Road

Auckland 1026

New Zealand

Tel: +64 9 820 2900


www.sika.co.nz

**DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION**

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.







# FOR MORE WATERPROOFING INFORMATION:



## WHO WE ARE

Sika AG, Switzerland, is a globally active specialty chemicals company. Sika supplies the building and construction industry as well as manufacturing industries (automotive, bus, truck, rail, solar and wind power plants, façades). Sika is a leader in processing materials used in sealing, bonding, damping, reinforcing and protecting loadbearing structures. Sika's product lines feature high quality concrete admixtures, specialty mortars, sealants and adhesives, damping and reinforcing materials, structural strengthening systems, industrial flooring as well as roofing and waterproofing systems.

## SIKA (NZ) LTD

Avondale · Auckland  
1746 · New Zealand

## Contact

PO BOX 19192  
Phone 0800 745 269  
www.sika.co.nz

BUILDING TRUST

