## Sarna Cleaner



Version **Revision Date:** SDS Number: Date of last issue: 2021/10/28 2024/04/22 000000100738 Date of first issue: 2018/05/08 4.0

#### **Section 1: Identification**

Product name Sarna Cleaner

### Manufacturer or supplier's details

Company Sika (NZ) Ltd.

85-91 Patiki Road

Avondale

Auckland AKL 1026

+64 9 820 2900 Telephone

Emergency telephone number : 0800 734 607

E-mail address info@nz.sika.com

Telefax +64 9 828 4091

### Recommended use of the chemical and restrictions on use

Product use : Pretreatment agent

### Section 2: Hazard identification

**GHS Classification** 

Flammable liquids Category 2

Serious eye damage/eye irri-

tation

Category 2

single exposure

Specific target organ toxicity - : Category 3 (Central nervous system)

#### **GHS** label elements

Hazard pictograms



Signal word Danger

H225 Highly flammable liquid and vapour. Hazard statements

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P233 Keep container tightly closed.

## Sarna Cleaner



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2021/10/28

 4.0
 2024/04/22
 000000100738
 Date of first issue: 2018/05/08

P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing mist or vapours.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

#### Section 3: Composition/information on ingredients

Substance / Mixture : Substance

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
ethyl acetate	141-78-6	>= 90 -<= 100

### Section 4: First-aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

## Sarna Cleaner



**Revision Date:** SDS Number: Version Date of last issue: 2021/10/28 2024/04/22 000000100738 Date of first issue: 2018/05/08 4.0

If inhaled Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact Take off contaminated clothing and shoes immediately.

> Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

Clean mouth with water and drink afterwards plenty of water. If swallowed

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

irritant effects

**Excessive lachrymation** 

Loss of balance

Vertigo

See Section 11 for more detailed information on health effects

and symptoms.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Treat symptomatically. Notes to physician

### Section 5: Fire-fighting measures

Suitable extinguishing media Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

Water

High volume water jet

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

Use water spray to cool unopened containers.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

#### Section 6: Accidental release measures

Personal precautions, protec- : Use personal protective equipment.

## Sarna Cleaner



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2021/10/28

 4.0
 2024/04/22
 000000100738
 Date of first issue: 2018/05/08

tive equipment and emergency procedures

Remove all sources of ignition.

Deny access to unprotected persons.

**Environmental precautions** 

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

#### Section 7: Handling and storage

Advice on protection against

fire and explosion

Use explosion-proof equipment.

Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

Take precautionary measures against electrostatic discharg-

es.

Advice on safe handling

Do not breathe vapours or spray mist.

Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours).

Follow standard hygiene measures when handling chemical

products

Hygiene measures

Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage

Store in original container.

Store in cool place.

Keep in a well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Store in accordance with local regulations.

### Section 8: Exposure controls/personal protection

Components with workplace control parameters

## Sarna Cleaner



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2021/10/28

 4.0
 2024/04/22
 000000100738
 Date of first issue: 2018/05/08

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethyl acetate	141-78-6	WES-TWA	200 ppm 720 mg/m3	NZ OEL

## Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

## Section 9: Physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : fruity

Odour Threshold : No data available

pH : Not applicable

Melting point/range / Freezing :

oint

No data available

Boiling point/boiling range : ca. 77 °C (171 °F)

Flash point : -4 °C (25 °F)

(Method: closed cup)

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper : 11.5 %(V)

## Sarna Cleaner



Date of last issue: 2021/10/28 Version **Revision Date:** SDS Number: 2024/04/22 000000100738 Date of first issue: 2018/05/08 4.0

flammability limit

Lower explosion limit / Lower : 2.1 %(V)

flammability limit

ca. 98.3 hPa (20 °C (68 °F)) Vapour pressure

Relative vapour density No data available

ca. 0.9 g/cm3 (20 °C (68 °F)) Density

Solubility(ies)

Water solubility insoluble

Solubility in other solvents No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature 427 °C

Decomposition temperature No data available

Viscosity

Viscosity, dynamic No data available

> 7 mm2/s ( 40 °C (104 °F)) Viscosity, kinematic

Explosive properties No data available

Oxidizing properties No data available

Volatile organic compounds

(VOC) content

900 g/l

## Section 10: Stability and reactivity

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability The product is chemically stable.

Possibility of hazardous reac- :

tions

Stable under recommended storage conditions.

Vapours may form explosive mixture with air.

Conditions to avoid Heat, flames and sparks.

Incompatible materials No data available

### **Section 11: Toxicological information**

### **Acute toxicity**

Not classified based on available information.

## Sarna Cleaner



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2021/10/28

 4.0
 2024/04/22
 000000100738
 Date of first issue: 2018/05/08

**Components:** 

ethyl acetate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): ca. 1,600 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Chronic toxicity** 

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

## Section 12: Ecological information

**Ecotoxicity** 

No data available

Persistence and degradability

No data available

## Sarna Cleaner



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2021/10/28

 4.0
 2024/04/22
 000000100738
 Date of first issue: 2018/05/08

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

**Product:** 

Additional ecological infor-

mation

: There is no data available for this product.

Section 13: Disposal considerations

**Disposal methods** 

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

**Section 14: Transport information** 

International Regulations

Marine pollutant : no

**IATA-DGR** 

UN/ID No. : UN 1173
Proper shipping name : Ethyl acetate

Class : 3 Packing group : II

Labels : Flammable Liquids

364

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 353

ger aircraft)

**IMDG-Code** 

UN number : UN 1173

Proper shipping name : ETHYL ACETATE

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : no

8/10

## Sarna Cleaner



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2021/10/28

 4.0
 2024/04/22
 000000100738
 Date of first issue: 2018/05/08

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

**NZS 5433** 

UN number : UN 1173

Proper shipping name : ETHYL ACETATE

Class : 3
Packing group : II
Labels : 3
Marine pollutant : no

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

#### **HSNO Approval Number**

HSR002528 Acetic acid ethyl ester

#### **Tolerable Exposure Limits (TEL)**

Not applicable

#### **Environmental Exposure Limits (EEL)**

Not applicable

### **HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

#### The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

#### **Section 16: Other information**

Revision Date : 2024/04/22 Date format : dd.mm.yyyy

#### Full text of other abbreviations

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

# **Sarna Cleaner**



Version 4.0	Revision Date: 2024/04/22		SDS Number: 000000100738	Date of last issue: 2021/10/28 Date of first issue: 2018/05/08	
AC AC		:	Australian Dangerous Goods Code. European Agreement concerning the International Carriage of Dangerous Goods by Road		
CA	\S	:	Chemical Abstracts Service		
DN	IEL	:	Derived no-effect level		
EC	50	:	Half maximal effective concentration		
GH	<del>I</del> S	:	Globally Harmonized System		
IA		:	International Air Transport Association		
	DG	:	International Maritime Code for Dangerous Goods		
LD	50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)		
LC	50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MA	ARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OE	EL	:	Occupational Exposure Limit		
PB	ST	:	Persistent, bioaccumulative and toxic		
PΝ	IEC	:	Predicted no effect concentration		
RE	EACH	:	Regulation (EC) No 1907/2006 of and of the Council of 18 Decembe istration, Evaluation, Authorisation cals (REACH), establishing a European state of the council of the cou	r 2006 concerning the Regand Restriction of Chemi-	
SV	HC .	:	Substances of Very High Concern		
vP	vB	:	Very persistent and very bioaccum	nulative	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

NZ / EN