Sikafloor-21 PurCem FG Part C



Version 5.0	Revision Date: 2024/06/05		SDS Number: 000000612404	Date of last issue: 2022/06/20 Date of first issue: 2017/12/19
Section 1:	Identification			
Produ	Product name		Sikafloor-21 PurCem FG Part (C
Manu	facturer or supplier's d	etai	ls	
Comp	any	:	Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
Telepl	hone	:	+64 9 820 2900	
Emerç	gency telephone number	:	0800 734 607	
E-mai	l address	:	info@nz.sika.com	
Telefa	ах	:	+64 9 828 4091	
Reco	mmended use of the ch	em	ical and restrictions on use	
Produ	ct use	:	Flooring system	

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements Hazard pictograms	:	\wedge
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention:
		P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.
		1 / 10

Sikafloor-21 PurCem FG Part C



Version 5.0	Revision Date: 2024/06/05	SDS Number: 000000612404	Date of last issue: 2022/06/20 Date of first issue: 2017/12/19
		P280 Wear protective glove	es/ eye protection/ face protection.
		 Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 + P312 IF INHALED: Remove person to f and keep comfortable for breathing. Call a POISON CE doctor if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse caution water for several minutes. Remove contact lenses, if prand easy to do. Continue rinsing. Immediately call a PC CENTER/ doctor. P332 + P313 If skin irritation occurs: Get medical advice tion. P362 + P364 Take off contaminated clothing and wash reuse. 	
		Storage: P403 + P233 Store in a wel tightly closed.	II-ventilated place. Keep container
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste
Other	hazards which do not	result in classification	

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 30 -< 50
Cement (chromium reduced)	65997-15-1	>= 30 -< 50
Limestone	1317-65-3	>= 10 -< 20

Section 4: First-aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis-

Sikafloor-21 PurCem FG Part C



Versi 5.0	on	Revision Date: 2024/06/05		SDS Number: 000000612404	Date of last issue: 2022/06/20 Date of first issue: 2017/12/19		
				sue damage and blindness. In the case of contact with eyes, r of water and seek medical advice Continue rinsing eyes during trans Remove contact lenses. Keep eye wide open while rinsing	sport to hospital.		
	If swallowed :		Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.				
		ortant symptoms ts, both acute and	:	irritant effects Cough Respiratory disorder Excessive lachrymation Dermatitis See Section 11 for more detailed and symptoms. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	information on health effects		
	Notes to p	ohysician	:	Treat symptomatically.			
Sec	tion 5: Fir	e-fighting measure	s				
	Suitable e	extinguishing media	:	Use extinguishing measures that cumstances and the surrounding			
	Hazardou ucts	is combustion prod-	:	No hazardous combustion produc	ts are known		
	Specific e ods	extinguishing meth-	:	Standard procedure for chemical	fires.		
	Special p for firefigh	rotective equipment hters	:	In the event of fire, wear self-cont	ained breathing apparatus.		

Section 6: Accidental release measures

Personal precautions, protec- tive equipment and emer- gency procedures		Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

Sikafloor-21 PurCem FG Part C



Version 5.0	Revision Date: 2024/06/05		SDS Number: 000000612404	Date of last issue: 2022/06/20 Date of first issue: 2017/12/19
Section 7:	Handling and storage			
	e on protection against ad explosion	:	Avoid dust formation. Provide appropriate exhaus is formed.	st ventilation at places where dust
Advice	e on safe handling	:	section 8). Do not get in eyes, on skin, For personal protection see Smoking, eating and drinkin plication area.	occupational exposure limits (see or on clothing.
Hygie	ne measures	:	Handle in accordance with practice. When using do not eat or d When using do not smoke. Wash hands before breaks	
Condi	tions for safe storage	:	Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with lo	
	er information on stor- ability	:	Keep in a dry place. No decomposition if stored	and applied as directed.

Section 8: Exposure controls/personal protection

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis			
Quartz (SiO2)	14808-60-7	WES-TWA (Respirable dust)	0.05 mg/m3	NZ OEL			
	Further information	ation: Confirmed	carcinogen				
		WES-TWA (Respirable dust)	0.05 mg/m3	NZ OEL			
Cement (chromium reduced)	65997-15-1	WES-TWA	3 mg/m3	NZ OEL			
	Further informa	ation: Skin sensi	tiser				
		WES-TWA (Respirable dust)	1 mg/m3	NZ OEL			
Limestone	1317-65-3	WES-TWA	10 mg/m3 (Calcium car-	NZ OEL			

Components with workplace control parameters

Sikafloor-21 PurCem FG Part C



Versi 5.0	Version Revision Date: 5.0 2024/06/05					SDS Numb 000000612			issue: 2022/06/20 issue: 2017/12/19	
L						bonate)				
	Personal	protective equipn	nent							
	Respirator	y protection	:	ventilation is pro that exposures a The filter class for imum expected (gas/vapour/aero	vided or expo are within reco or the respirate contaminant c osol/particulate t. If this conce	es) that may arise ntration is exceed	demonstrates ure guidelines. le for the max- e when han-			
	Hand prote	ection	:	approved standa	ard should be	s gloves complyir worn at all times v essment indicate	when handling			
	Eye protec	tion	:			h an approved sta ent indicates this				
	Skin and b	ody protection	:		unt of dangero	ation to its type, to ous substances, a				

Section 9: Physical and chemical properties

Appearance	:	powder
Colour	:	various
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 105 °C (> 221 °F)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

Sikafloor-21 PurCem FG Part C



Vers 5.0	sion	Revision Date: 2024/06/05		SDS Number: 000000612404	Date of last issue: 2022/06/20 Date of first issue: 2017/12/19
	Vapour p	pressure	:	No data available	
	Relative	vapour density	:	No data available	
	Density		:	No data available	
	Solubility Wate	r(ies) r solubility	:	insoluble	
	Solub	ility in other solvents	:	No data available	
	Partition octanol/v	coefficient: n-	:	No data available	
		ition temperature	:	No data available	
	Decomp	osition temperature	:	No data available	
	Viscosity Visco	, sity, dynamic	:	No data available	
	Visco	sity, kinematic	:	Not applicable	
	Explosiv	e properties	:	No data available	
	Oxidizing	g properties	:	No data available	
	Volatile o (VOC) co	organic compounds	:	no VOC contained	

Section 10: Stability and reactivity

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Sikafloor-21 PurCem FG Part C



Version 5.0	Revision Date: 2024/06/05	SDS Number: 000000612404	Date of last issue: 2022/06/20 Date of first issue: 2017/12/19
Respi	ratory or skin sensitisat	ion	
	sensitisation assified based on available	e information.	
-	ratory sensitisation assified based on available	e information.	
Chror	nic toxicity		
	cell mutagenicity assified based on available	e information.	
	nogenicity assified based on available	e information.	
-	oductive toxicity assified based on available	e information.	
	- single exposure ause respiratory irritation.		
	- repeated exposure assified based on available	e information.	
-	ation toxicity assified based on available	e information.	
Section 12	2: Ecological information		
Ecoto No da	xicity ta available		
	stence and degradability ta available		
	cumulative potential ta available		
	ity in soil ta available		
Other	adverse effects		
<u>Produ</u> Additio matior	onal ecological infor- :	There is no data available f	or this product.

Disposal methods

- Waste from residues
- : Do not contaminate ponds, waterways or ditches with chemical or used container.

Sikafloor-21 PurCem FG Part C



ersion)	Revision Date: 2024/06/05		SDS Number: 000000612404	Date of last issue: 2022/06/20 Date of first issue: 2017/12/19	
			Send to a licensed waste	management company.	
Contar	Contaminated packaging :		Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.		
ection 14:	Transport information	on			
Interna	tional Regulations				
Marine	pollutant	:	no		
IATA-D	OGR				
UN/ID I		:	Not applicable		
	shipping name	:	Not applicable		
Class		:	Not applicable		
Subsidi	iary risk	:	Not applicable		
	g group	:	Not applicable		
Labels		:	Not applicable		
aircraft	•	:	Not applicable		
Packing ger airc	g instruction (passen- craft)	:	Not applicable		
IMDG-0	Code				
UN nur		:	Not applicable		
•	shipping name	:	Not applicable		
Class	· · · · · · · · ·	:	Not applicable		
	iary risk	:	Not applicable		
Packing Labels	g group	÷	Not applicable		
EmS C	odo	:	Not applicable Not applicable		
	pollutant	:	Not applicable		
		, to	Annex II of MARPOL 73/7	78 and the IBC Code	
Not app	blicable for product as	sup	plied.		
Nation	al Regulations				
NZS 5	433				
UN nu		:	Not applicable		
	r shipping name	:	Not applicable		
Class		:	Not applicable		
	liary risk	:	Not applicable		
	ng group	:	Not applicable		
Labels		:	Not applicable		
	em Code pollutant	:	Not applicable no		
-	l precautions for use	r			
Not app	olicable				





Version	Revision Date:	SDS Number:	Date of last issue: 2022/06/20
5.0	2024/06/05	000000612404	Date of first issue: 2017/12/19

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

HSNO Approval Number

HSR002544

Tolerable Exposure Limits (TEL) Not applicable

Environmental Exposure Limits (EEL) Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

NZIoC	: On the inventory, or in compliance with the inventory
-------	---

Section 16: Other information

Revision Date Date format	:	2024/06/05 dd.mm.yyyy			
Full text of other abbreviations					
NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants			
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average			
ADG	:	Australian Dangerous Goods Code.			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)			
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			



Sikafloor-21 PurCem FG Part C

Version 5.0	Revision Date: 2024/06/05		SDS Number: 000000612404	Date of last issue: 2022/06/20 Date of first issue: 2017/12/19
PBT PNEC REACH	1	: Pr : Re ar ist	d of the Council of 18 Dece ration, Evaluation, Authoris Is (REACH), establishing a	tion 6 of the European Parliament ember 2006 concerning the Reg- ation and Restriction of Chemi- European Chemicals Agency
SVHC vPvB			Ibstances of Very High Con Pry persistent and very bioa	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NZ / EN