# SikaSwell<sup>®</sup> S-2



Versio 1.1	on Revision Date: 2025/01/23		SDS Number: 100000019044	Date of last issue: 2023/01/18 Date of first issue: 2023/01/18
Sect	ion 1: Identification			
	Product name	:	SikaSwell <sup>®</sup> S-2	
	Manufacturer or supplier's	deta	ils	
	Company	:	Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
	Telephone	:	+64 9 820 2900	
	Emergency telephone numb	er :	0800 734 607	
	E-mail address	:	info@nz.sika.com	
	Telefax	:	+64 9 828 4091	
	Recommended use of the	chem	ical and restrictions on	use

Product use	:	Sealant/adhesive, For professional users only.
-------------	---	--

### Section 2: Hazard identification

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-	77703-56-1	>= 2.5 -< 10
butyl-		
Hardener LI (Isophoronedialdimine)	932742-30-8	>= 1 -< 2.5
Alcohols, C11-14-iso-, C13-rich	68526-86-3	>= 0.25 -< 1

#### Section 4: First-aid measures

General advice

: No hazards which require special first aid measures.

# SikaSwell<sup>®</sup> S-2



Versio 1.1		evision Date: 25/01/23		SDS Number: 100000019044	Date of last issue: 2023/01/18 Date of first issue: 2023/01/18
I	f inhaled		:	Move to fresh air.	
li	In case of skin contact		:	Take off contaminated clothing an Wash off with soap and plenty of w	
li	n case of ey	e contact	:	Flush eyes with water as a precau Remove contact lenses. Keep eye wide open while rinsing.	
I	f swallowed		:	Clean mouth with water and drink Do not give milk or alcoholic bever Never give anything by mouth to a	rages.
a	•	ant symptoms both acute and	:	No known significant effects or ha See Section 11 for more detailed i and symptoms.	
٩	Notes to phy	sician	:	Treat symptomatically.	

### Section 5: Fire-fighting measures

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

### Section 6: Accidental release measures

Personal precautions, protec- tive equipment and emer- gency procedures	:	For personal protection see section 8.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

# Section 7: Handling and storage

Advice on protection against : Normal measures for preventive fire protection.

# SikaSwell<sup>®</sup> S-2



Version 1.1	Revision Date: 2025/01/23		SDS Number: 100000019044	Date of last issue: 2023/01/18 Date of first issue: 2023/01/18
fire a	nd explosion			
Advic	e on safe handling	:	For personal protection see sec Follow standard hygiene measu products	
	ene measures	:	Handle in accordance with good practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and	at the end of workday.
Cond	itions for safe storage	:	Keep container tightly closed in place. Store in accordance with local r	-

### Section 8: Exposure controls/personal protection

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

# Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.
Eye protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.

### Section 9: Physical and chemical properties

Appearance	:	paste
Colour	:	red
Odour	:	No data available
Odour Threshold	:	No data available
		3 / 8

# SikaSwell<sup>®</sup> S-2



ersion 1	Revision Date: 2025/01/23		SDS Number: 100000019044	Date of last issue: 2023/01/18 Date of first issue: 2023/01/18
pН			No data available substan	ce/mixture is non-soluble (in water)
•		•		
ing p		·	No data available	
Boilir	ng point/boiling range	:	No data available	
Flash	n point	:	ca. 98 °C (208 °F) (Method: closed cup)	
Evap	oration rate	:	No data available	
Flam	mability (solid, gas)	:	No data available	
	er explosion limit / Upper nability limit	:	No data available	
	er explosion limit / Lower nability limit	:	No data available	
Vapo	our pressure	:	ca. 0.266 hPa	
Relat	tive vapour density	:	No data available	
Dens	sity	:	ca. 1.24 g/cm3 (20 °C (68	°F))
	bility(ies) /ater solubility	:	insoluble	
S	olubility in other solvents	:	No data available	
	tion coefficient: n-	:	No data available	
	ol/water -ignition temperature	:	No data available	
Deco	omposition temperature	:	No data available	
Visco Vi	osity iscosity, dynamic	:	No data available	
Vi	iscosity, kinematic	:	> 20.5 mm2/s ( 40 °C (104	4 °F))
Explo	osive properties	:	No data available	
Oxidi	izing properties	:	No data available	
	tile organic compounds C) content	:	4 g/l	

# Section 10: Stability and reactivity

Reactivity

: No dangerous reaction known under conditions of normal use.

# SikaSwell<sup>®</sup> S-2



Vers 1.1	ion	Revision Date: 2025/01/23		SDS Number: 100000019044	Date of last issue: 2023/01/18 Date of first issue: 2023/01/18
	Chemica	l stability	:	The product is chemically stable.	
	Possibilit tions	y of hazardous reac-	:	No hazards to be specially mention	oned.
	Conditior	ns to avoid	:	No data available	
	Incompat	tible materials	:	No data available	
	Hazardou products	us decomposition	:	No hazardous decomposition pro	ducts are known.

# Section 11: Toxicological information

Acute	toxicity	

Components:							
Hardener LI (Isophoronedialdimine):							
Acute oral toxicity	:	LD50 Oral (Rat): > 2,000 mg/kg					
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2,000 mg/kg					

### Respiratory or skin sensitisation

Product:		
Method Result	-	OECD Test Guideline 429 Does not cause skin sensitisation.

### **Chronic toxicity**

### Section 12: Ecological information

Ecotoxicity

Components:					
Urea,N,N"-(methylenedi-4,1-p	enylene)bis[N'-butyl-:				
Toxicity to fish	LC50 (Brachydanio rerio (zebrafish)): > 250 mg/l Exposure time: 96 h				
Toxicity to daphnia and other aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h				
Toxicity to algae/aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 100 mg/l Exposure time: 72 h	:>			
Hardener LI (Isophoronedial Toxicity to fish	<b>mine):</b> LC50 (Fish): 87.2 mg/l Exposure time: 96 h				

# SikaSwell<sup>®</sup> S-2



Version 1.1	Revision Date: 2025/01/23		SDS Number: 100000019044	Date of last issue: 2023/01/18 Date of first issue: 2023/01/18
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia (water flea)): > 10 Exposure time: 48 h	00 mg/l
Toxic plants	ity to algae/aquatic s	:	EC50 (Desmodesmus subspicatu Exposure time: 72 h	s (green algae)): 180.4 mg/l
	h <b>ols, C11-14-iso-, C13-ri</b> o ity to fish	ch :	: LC50 (Oncorhynchus mykiss (rair Exposure time: 96 h	nbow trout)): 0.42 mg/l
	ity to daphnia and other tic invertebrates	:	LC50 (Daphnia (water flea)): 0.71 Exposure time: 48 h	mg/l
	ctor (Acute aquatic tox-	:	1	
icity) M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
	stence and degradability	у		
No da	ata available			
	<b>ccumulative potential</b> ata available			
Mobi	lity in soil			
No da	ata available			
Othe	r adverse effects			
Prod	uct:			
Additi matio		:	There is no data available for this	product.
Section 1	3: Disposal consideratio	n	6	
Dispo	osal methods			
Waste	e from residues	:	The product should not be allower courses or the soil.	d to enter drains, water

# Section 14: Transport information

# International Regulations

# IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo	:	Not applicable
aircraft)		

# SikaSwell<sup>®</sup> S-2



Version 1.1	Revision Date: 2025/01/23		SDS Number: 100000019044	Date of last issue: 2023/01/18 Date of first issue: 2023/01/18	
	ng instruction (passen- rcraft)	:	Not applicable		
UN nu Prope Class Subsi Packi Label EmS	diary risk ng group s		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable		
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.				
	nal Regulations	oup	p		

### NZS 5433

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Hazchem Code	: Not applicable

Special precautions for user

Not applicable

### Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

#### **Tolerable Exposure Limits (TEL)** Not applicable

#### Environmental Exposure Limits (EEL) Not applicable

#### **HSW Controls**

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

### The components of this product are reported in the following inventories:

NZIOC : On the inventory, or in compliance with the inventory

# SikaSwell<sup>®</sup> S-2



Version 1.1	Revision Date: 2025/01/23		SDS Number: 100000019044	Date of last issue: 2023/01/18 Date of first issue: 2023/01/18
Section 16	6: Other information			
Revisi Date f	ion Date format		2025/01/23 dd.mm.yyyy	
Full te	ext of other abbreviat	ions		
ADG ADR		:	Australian Dangerous Good European Agreement conce Dangerous Goods by Road	erning the International Carriage of
CAS DNEL		:	Chemical Abstracts Service Derived no-effect level	
EC50			Half maximal effective conc	
GHS IATA			Globally Harmonized Syste International Air Transport A	
IMDG			International Maritime Code	
LD50		:	Median lethal dosis (the am	nount of a material, given all at
LC50		:	Median lethal concentration	e (concentrations of the chemical in animals during the observation
MARF	POL	:	/	r the Prevention of Pollution from the Protocol of 1978
OEL			Occupational Exposure Lim	
PBT			Persistent, bioaccumulative	
PNEC			Predicted no effect concent	
REAC	'n	; ;	and of the Council of 18 De stration, Evaluation, Author cals (REACH), establishing	006 of the European Parliament cember 2006 concerning the Reg- risation and Restriction of Chemi- a European Chemicals Agency
SVHC vPvB	;		Substances of Very High Č Very persistent and very bio	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NZ / EN