# Sikasil RTV Bathroom & Tile



Version 2.1	Revision Date: 2024/12/11		SDS Number: 100000035777	Date of last issue: 2022/12/07 Date of first issue: 2020/12/10
Section 1:	Identification			
Produ	ct name	:	Sikasil RTV Bathroom & Tile	
Manu	facturer or supplier's d	eta	ils	
Comp	any	:	Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
Telepl	hone	:	+64 9 820 2900	
Emerç	gency telephone number	:	0800 734 607	
E-mai	l address	:	info@nz.sika.com	
Telefa	ах	:	+64 9 828 4091	
	mmended use of the ch ct use		ical and restrictions on use Sealant/adhesive	

### Section 2: Hazard identification

Serious eye damage/eye irri- : Category 1 tation
GHS label elements Hazard pictograms :
Signal word : Danger
Hazard statements : H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements : Prevention:
P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
1 / 10

# Sikasil RTV Bathroom & Tile



Version	Revision Date: 2024/12/11	SDS Number:	Date of last issue: 2022/12/07
2.1		100000035777	Date of first issue: 2020/12/10
		CENTEŘ/ doctor. P332 + P313 If skin irritati tion.	rinsing. Immediately call a POISON on occurs: Get medical advice/ atten- taminated clothing and wash it before

## Other hazards which do not result in classification

None known.

#### Section 3: Composition/information on ingredients

Substance / Mixture	:	Mixture	
---------------------	---	---------	--

### Components

Chemical name	CAS-No.	Concentration (% w/w)
triacetoxyethylsilane	17689-77-9	>= 1 -< 3
Oligomeric ethyl and methyl acetoxysilanes	Not Assigned	>= 1 -< 3

#### Section 4: First-aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	irritant effects Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms.

# Sikasil RTV Bathroom & Tile



ersion .1	Revision Date: 2024/12/11		SDS Number: 100000035777	Date of last issue: 2022/12/07 Date of first issue: 2020/12/10
			Causes skin irritation. Causes serious eye damage.	
Notes	to physician	:	Treat symptomatically.	
Section 5:	Fire-fighting measure	s		
Suitab	le extinguishing media	:	Use extinguishing measures cumstances and the surround	that are appropriate to local cir- ding environment.
Hazaro ucts	dous combustion prod-	:	No hazardous combustion pr	oducts are known
Specif ods	ic extinguishing meth-	:	Standard procedure for chem	nical fires.
Specia	al protective equipment fighters	:	In the event of fire, wear self-	contained breathing apparatus.
Section 6:	Accidental release me	easi	ures	
tive eq	nal precautions, protec- uipment and emer- procedures	:	Use personal protective equi Deny access to unprotected	
Enviro	nmental precautions	:	Try to prevent the material fro courses. No special environmental pre	-
	ds and materials for nment and cleaning up	:	Soak up with inert absorbent acid binder, universal binder, Keep in suitable, closed cont	
Section 7:	Handling and storage			
	on protection against d explosion	:	Normal measures for prevent	tive fire protection.
Advice	e on safe handling	:	section 8). Do not get in eyes, on skin, o For personal protection see s Smoking, eating and drinking plication area.	
Hygier	ne measures	:	Handle in accordance with go practice. When using do not eat or drir	ood industrial hygiene and safety nk.



# Sikasil RTV Bathroom & Tile

Version	Revision Date: 2024/12/11	SDS Number:	Date of last issue: 2022/12/07
2.1		100000035777	Date of first issue: 2020/12/10
Condi	tions for safe storage		s and at the end of workday. sed in a dry and well-ventilated

#### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
methanol	67-56-1	WES-STEL	250 ppm 328 mg/m3	NZ OEL
	Further information monitoring, Sk		can also be estimate	d by biological
		WES-TWA	200 ppm 262 mg/m3	NZ OEL
acetic acid	64-19-7	WES-TWA	10 ppm 25 mg/m3	NZ OEL
		WES-STEL	15 ppm 37 mg/m3	NZ OEL

#### Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.
Eye protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.

# Sikasil RTV Bathroom & Tile



/ersion 1	Revision Date: 2024/12/11		SDS Number: 100000035777	Date of last issue: 2022/12/07 Date of first issue: 2020/12/10
Appea	arance	:	paste	
Colou	r	:	various	
Odou	r	:	characteristic	
Odou	Threshold	:	No data available	
pН		:	Not applicable	
	g point/ range / Freez-	:	No data available	
ing po Boiling	g point/boiling range	:	No data available	
Flash	point	:	> 93.3 °C (> 199.9 °F) (Method: closed cup)	
Evapo	pration rate	:	No data available	
Flamn	nability (solid, gas)	:	No data available	
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapou	ır pressure	:	0.01 hPa	
Relati	ve vapour density	:	No data available	
Densi	ty	:	ca. 1 g/cm3 (20 °C (68 °F))	
	ility(ies) ater solubility	:	No data available	
So	lubility in other solvents	:	No data available	
	on coefficient: n-	:	No data available	
	ol/water gnition temperature	:	No data available	
Decor	nposition temperature	:	No data available	
Viscos Vis	sity scosity, dynamic	:	No data available	
Vis	scosity, kinematic	:	> 7 mm2/s ( 40 °C (104 °F))	
Explo	sive properties	:	No data available	
Oxidiz	ing properties	:	No data available	

# Sikasil RTV Bathroom & Tile



Vers 2.1	ion Revision Date: 2024/12/11		SDS Number: 100000035777	Date of last issue: 2022/12/07 Date of first issue: 2020/12/10
	Volatile organic compounds (VOC) content	:	no VOC contained	
Sec	tion 10: Stability and reactivi	ty		
	Reactivity	:	No dangerous reaction know	n under conditions of normal use.
	Chemical stability		The product is chemically stable.	
	Possibility of hazardous reac- tions		No hazards to be specially m	nentioned.
	Conditions to avoid	:	No data available	
	Incompatible materials	:	No data available	
	Hazardous decomposition products	:	methanol acetic acid	

#### Section 11: Toxicological information

Acute toxicity Not classified due to lack of data.

#### **Components:**

triacetoxyethylsilane:		
Acute oral toxicity	:	LD50 Oral (Rat): 1,460 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### Respiratory sensitisation

Not classified due to lack of data.

#### Chronic toxicity

### Germ cell mutagenicity

Not classified due to lack of data.

# Carcinogenicity

Not classified due to lack of data.

# Sikasil RTV Bathroom & Tile



Version 2.1	Revision Date: 2024/12/11		SDS Number: 100000035777	Date of last issue: 2022/12/07 Date of first issue: 2020/12/10
-	productive toxicity classified due to lack of da	ata.		
	<b>)T - single exposure</b> classified due to lack of da	ata.		
	<b>OT - repeated exposure</b> classified due to lack of da	ata.		
-	<b>iration toxicity</b> classified due to lack of da	ata.		
Section	12: Ecological information	on		
	<b>toxicity</b> data available			
	sistence and degradabili data available	ty		
	accumulative potential data available			
	<b>bility in soil</b> data available			
Oth	er adverse effects			
	<b>duct:</b> litional ecological infor- ion	:	There is no data available for	r this product.
Section	13: Disposal considerati	ons	3	
Dis	posal methods			
Was	ste from residues	:	Send to a licensed waste ma	nagement company.
			Do not contaminate ponds, w cal or used container.	vaterways or ditches with chemi-
Con	taminated packaging	:	Empty remaining contents. Dispose of as unused produc	ot.

Do not re-use empty containers.

### Section 14: Transport information

### International Regulations

IATA-DGR	
UN/ID No.	: Not applicable
Proper shipping name	: Not applicable

# Sikasil RTV Bathroom & Tile



Version 2.1	Revision Date: 2024/12/11		SDS Number: 100000035777	Date of last issue: 2022/12/07 Date of first issue: 2020/12/10
Class		:	Not applicable	
Subsid	diary risk	:	Not applicable	
	ng group	:	Not applicable	
Labels		:	Not applicable	
Packir aircraf	ng instruction (cargo t)	:	Not applicable	
Packir ger air	ng instruction (passen-	:	Not applicable	
IMDG	-Code			
UN nu	Imber	:	Not applicable	
Prope	r shipping name	:	Not applicable	
Class	11 3	:	Not applicable	
Subsid	diary risk	:	Not applicable	
	ng group	:	Not applicable	
Labels		:	Not applicable	
EmS (	Code	:	Not applicable	
Marine	e pollutant	:	Not applicable	

#### **National Regulations**

#### NZS 5433

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Hazchem Code	: Not applicable

#### Special precautions for user

Not applicable

#### Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

#### **HSNO Approval Number**

HSR002670

**Tolerable Exposure Limits (TEL)** Not applicable

#### Environmental Exposure Limits (EEL) Not applicable

: Not applicable

# Sikasil RTV Bathroom & Tile



ersion .1	Revision Date: 2024/12/11	SDS Number: 100000035777	Date of last issue: 2022/12/07 Date of first issue: 2020/12/10
Certifie Tracki		ce not required.	tances) Regulations 2017, for further infor-
The co NZIoC		oduct are reported in the for : On the inventory, or in	ollowing inventories: compliance with the inventory
Section 16	: Other information		
Revisi Date fo	on Date ormat	: 2024/12/11 : dd.mm.yyyy	
Full te	ext of other abbreviat	ons	
NZ OE	EL	: New Zealand. Workpla ic Contaminants	ace Exposure Standards for Atmospher-
NZ OE ADG ADR	EL / WES-TWA EL / WES-STEL	<ul> <li>Workplace Exposure S</li> <li>Australian Dangerous</li> <li>European Agreement of Dangerous Goods by F</li> </ul>	concerning the International Carriage of Road
CAS DNEL EC50 GHS IATA IMDG		<ul> <li>Chemical Abstracts Se</li> <li>Derived no-effect level</li> <li>Half maximal effective</li> <li>Globally Harmonized S</li> <li>International Air Trans</li> <li>International Maritime</li> </ul>	concentration System port Association Code for Dangerous Goods
LD50 LC50		once, which causes the test animals) : Median lethal concentr	e amount of a material, given all at e death of 50% (one half) of a group of ration (concentrations of the chemical in e test animals during the observation
MARP OEL PBT PNEC		<ul> <li>International Convention</li> <li>Ships, 1973 as modified</li> <li>Occupational Exposure</li> <li>Persistent, bioaccumul</li> <li>Predicted no effect cor</li> </ul>	lative and toxic ncentration
REAC SVHC vPvB		and of the Council of 1 istration, Evaluation, A	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.



## Sikasil RTV Bathroom & Tile

VersionRevision Date:2.12024/12/11

SDS 100

SDS Number: 100000035777

Date of last issue: 2022/12/07 Date of first issue: 2020/12/10

Changes as compared to previous version !

NZ / EN