Sikafloor-045 Rapid



Version 1.1	Revision Date: 2024/12/11	SDS Number: 100000038807		Date of last issue: 2022/12/11 Date of first issue: 2022/12/11
Section 1	: Identification			
Prod	uct name	:	Sikafloor-045 Rapid	
Manı	ufacturer or supplier's d	eta	ils	
Com	pany	:	Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
Telep	phone	:	+64 9 820 2900	
Eme	rgency telephone number	:	0800 734 607	
E-ma	ail address	:	info@nz.sika.com	
Telef	ax	:	+64 9 828 4091	

Section 2: Hazard identification

:	Category 1
:	Category 1
:	Category 1
:	
:	Danger
:	H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H350 May cause cancer by inhalation.
:	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust. P272 Contaminated work clothing should not be allowed out of the workplace.
	:

Sikafloor-045 Rapid



Version 1.1	Revision Date: 2024/12/11	SDS Number: 100000038807	Date of last issue: 2022/12/11 Date of first issue: 2022/12/11	
		P280 Wear protective glove tion/ face protection/ hearin	es/ protective clothing/ eye protec- ng protection.	
		 Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. Storage: P405 Store locked up. 		
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste	

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 30 -< 50
calcium sulfate	7778-18-9	>= 1 -< 10
Cement, portland, chemicals	65997-15-1	>= 3 -< 10
Fumes, silica	69012-64-2	>= 1 -< 10
Quartz (SiO2) <5µm	14808-60-7	>= 0.1 -< 1

Section 4: First-aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

Sikafloor-045 Rapid



Version 1.1	Revision Date: 2024/12/11		SDS Number: 10000038807	Date of last issue: 2022/12/11 Date of first issue: 2022/12/11		
In case of eye contact		:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.			
If swallowed		:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.			
Most important symptoms and effects, both acute and delayed		:	sensitising effects Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms. May cause an allergic skin reaction. Causes serious eye damage. May cause cancer by inhalation.			
Notes	to physician	:	Treat symptomatically.			

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

Section 6: Accidental release measures

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Sikafloor-045 Rapid



Versior 1.1	Revision Date: 2024/12/11	SDS Number: 100000038807		Date of last issue: 2022/12/11 Date of first issue: 2022/12/11		
	Advice on protection against fire and explosion		Normal measures for preventive fire protection.			
A	Advice on safe handling		 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products 			
S	ika 03		Do not breathe vapours/dust.			
	ygiene measures onditions for safe storage	:	Handle in accordance with good in practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at Keep container tightly closed in a place. Store in accordance with local reg	t the end of workday. dry and well-ventilated		

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	WES-TWA (Respirable dust)	0.05 mg/m3	NZ OEL
	Further inform	ation: Confirmed	carcinogen	
		WES-TWA (Respirable dust)	0.025 mg/m3	NZ OEL
calcium sulfate	7778-18-9	WES-TWA	10 mg/m3	NZ OEL
Cement, portland, chemicals	65997-15-1	WES-TWA	3 mg/m3	NZ OEL
	Further inform	ation: Skin sensi	tiser	
		WES-TWA (Respirable dust)	1 mg/m3	NZ OEL
Fumes, silica	69012-64-2	WES-TWA (Respirable dust)	2 mg/m3	NZ OEL
Quartz (SiO2) <5µm	14808-60-7	WES-TWA	0.05 mg/m3	NZ OEL

Sikafloor-045 Rapid



Version 1.1	Revision Date: 2024/12/11		SDS Number: 100000038807		Date of last issue: 2022/12/11 Date of first issue: 2022/12/11	
				(Respirable dust)		
		F	urther informa	ation: Confirmed	carcinogen	
				WES-TWA (Respirable dust)	0.025 mg/m3	NZ OEL
Pers	onal protective equipm	ent				
	biratory protection	: Use respiratory protection unless adequate local exhaus ventilation is provided or exposure assessment demonst that exposures are within recommended exposure guide The filter class for the respirator must be suitable for the imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when he dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.			monstrates guidelines. or the max- hen han-	
Hand	l protection	;	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.			
Eye	protection		: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.			
Skin	and body protection	t		ount of dangero	ation to its type, to th ous substances, and	

Section 9: Physical and chemical properties

Appearance	:	solid
Colour	:	grey
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available

Sikafloor-045 Rapid



Version 1.1	Revision Date: 2024/12/11		SDS Number: 100000038807	Date of last issue: 2022/12/11 Date of first issue: 2022/12/11
	er explosion limit / Upper nability limit	:	No data available	
	er explosion limit / Lower nability limit	:	No data available	
Vapo	our pressure	:	No data available	
Relat	tive vapour density	:	No data available	
Dens	sity	:	No data available	
Bulk	density	:	ca. 1.25 kg/m3 (20 °C (68 °F))	
	bility(ies) /ater solubility	:	No data available	
S	olubility in other solvents	:	No data available	
	tion coefficient: n-	:	No data available	
	nol/water -ignition temperature	:	No data available	
Deco	omposition temperature	:	No data available	
Visco Vi	osity iscosity, dynamic	:	No data available	
Vi	iscosity, kinematic	:	No data available	
Explo	osive properties	:	No data available	
Oxidi	izing properties	:	No data available	
	tile organic compounds C) content	:	no VOC contained	

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

Sikafloor-045 Rapid



/ersion .1	Revision Date: 2024/12/11	SDS Number: 100000038807	Date of last issue: 2022/12/1 Date of first issue: 2022/12/1
Section 11	I: Toxicological informat	ion	
	e toxicity assified based on available	e information.	
calciu	oonents: Im sulfate: oral toxicity :	LD50 Oral (Rat): > 5,000 m	g/kg
-	corrosion/irritation assified based on available	e information.	
	us eye damage/eye irrita es serious eye damage.	tion	
Respi	iratory or skin sensitisat	ion	
	sensitisation ause an allergic skin react	iion.	
-	iratory sensitisation assified based on available	e information.	
Chror	nic toxicity		
	cell mutagenicity assified based on available	e information.	
	nogenicity ause cancer by inhalation		
Popro	ductive toxicity		

Reproductive toxicity Not classified based on available information.

STOT - single exposure Not classified based on available information.

STOT - repeated exposure Not classified based on available information.

Aspiration toxicity Not classified based on available information.

Section 12: Ecological information

Ecotoxicity No data available

Persistence and degradability No data available

Sikafloor-045 Rapid



Version 1.1	Revision Date: 2024/12/11		SDS Number: 100000038807	Date of last issue: 2022/12/11 Date of first issue: 2022/12/11
	cumulative potential ta available			
	Mobility in soil No data available			
Other	adverse effects			
Additi	Product: Additional ecological infor- mation		There is no data available	for this product.
Section 13	3: Disposal considera	ation	S	
Dispo	osal methods			
Waste	Waste from residues		Send to a licensed waste r	nanagement company.
			Do not contaminate ponds cal or used container.	, waterways or ditches with chemi-
Conta	minated packaging	:	Empty remaining contents. Dispose of as unused proc	
			Do not re-use empty conta	iners.

Section 14: Transport information

International Regulations

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passen- ger aircraft)	:	Not applicable
IMDG-Code		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	÷	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	÷	Not applicable
EmS Code	÷	Not applicable
Marine pollutant	÷	Not applicable
1		

Sikafloor-045 Rapid



Version	Revision Date:	SDS Number:	Date of last issue: 2022/12/11
1.1	2024/12/11	10000038807	Date of first issue: 2022/12/11

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Hazchem Code	: Not applicable

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

HSNO Approval Number

HSR002545

Tolerable Exposure Limits (TEL) Not applicable

Environmental Exposure Limits (EEL) Not applicable

HSW Controls

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

Section 16: Other information

Revision Date Date format	:	2024/12/11 dd.mm.yyyy
Full text of other abbrevia	tions	
NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants
NZ OEL / WES-TWA ADG		Workplace Exposure Standard - Time Weighted average Australian Dangerous Goods Code.

Sikafloor-045 Rapid



Version 1.1	Revision Date: 2024/12/11		SDS Number: 100000038807	Date of last issue: 2022/12/11 Date of first issue: 2022/12/11	
ADR		:	European Agreement concerr Dangerous Goods by Road	ning the International Carriage of	
CAS		:	Chemical Abstracts Service		
DNEL		:	Derived no-effect level		
EC50		:	Half maximal effective concer	ntration	
GHS		:	Globally Harmonized System		
IATA		:	International Air Transport As		
IMDG		:	International Maritime Code for Dangerous Goods		
LD50		:	Median lethal dosis (the amou once, which causes the death test animals)	unt of a material, given all at of 50% (one half) of a group of	
LC50		:	Median lethal concentration (air that kills 50% of the test ar period)	concentrations of the chemical in nimals during the observation	
MARPO	OL	:	· /	ne Prevention of Pollution from e Protocol of 1978	
OEL		:	Occupational Exposure Limit		
PBT		:	Persistent, bioaccumulative a	nd toxic	
PNEC		:	Predicted no effect concentrat	tion	
REACH	1	:		mber 2006 concerning the Reg- ation and Restriction of Chemi-	
SVHC		:	Substances of Very High Con		
vPvB		:	Very persistent and very bioad	ccumulative	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NZ / EN