



FLOORING AND COATING

INNOVATIVE Sika[®] FloorJoint

NOISELESS VIBRATION-FREE JOINT PANELS

BUILDING TRUST



Sika® FloorJoint

Innovative joint panel – vibration-free, noiseless and quick return to service.

THE SOUND AND FEELING of rumbling over crossing joints in parking garages and warehouses is familiar to most people. It can feel uncomfortable and cause irritation for your ears and body but up until now there hasn't been a suitable solution. Even hospital patients have had to endure the unpleasant experience.

AESTHETICS AND SILENCE IN MULTI-STOREY CAR PARKS Sika® FloorJoint PD

DRIVING WITHOUT RUMBLING: OUR INNOVATIVE JOINT PANELS ARE SEAMLESSLY CONNECTED TO THE FLOOR SURFACE, WHICH MEANS THERE IS NO VISIBLE DIFFERENCE TO THE NORMAL CAR PARK FLOOR COVERING.

REQUIREMENTS

Floor joints in parking garages are a major challenge in both new buildings and when refurbishing existing structures. In addition to the water tightness in modern buildings, aesthetics plays an increasingly important role. Traditional metal solutions show clear limits in cases where a complicated joint line is present, or when noise reduction is required. Here the Sika FloorJoint PD joint panel proves its strengths. The carbon fibre reinforced polymer concrete prefabricated panel fits seamlessly and virtually invisibly to the adjacent resin coverings.

ADVANTAGES



- No noise and no vibration when trafficked
- Almost invisible, can be overcoated with many Sikafloor coating systems
- Absolutely corrosion-free
- Waterproof because of the separate waterproofing level below the panel
- Easy installation and easy repair
- Easy solution for the connection between horizontal and vertical construction elements

RANGE OF USE

Suitable for use in new constructions and in the refurbishment of parking garages

APPLICATION

Complicated joint gradients can be realized by a simple cutting of the panels. The flat components allow a minimal cutting depth in the concrete substrate. This guarantees short down time. When water tightness is required a separate waterproofing membrane (Sikadur Combiflex SG System) is installed below the profile which is perfectly compatible to the Sika FloorJoint system. The result is a waterproof and ultra-flat profile system that can be trafficked silently



Sika can now offer the perfect solution with ultra-thin and almost invisible joint profiles. The profiles are installed on the same surface level as the floor, which means no more thresholds. One benefit of this new system is reduced damage to vehicles, meaning the cost of spare parts for trucks decreases significantly too. A real added value in every respect.

LOW-VIBRATION AND NOISELESS TRAFFICKING Sika® FloorJoint S

MOVEMENT OF SENSITIVE GOODS CAN BE DONE QUICKLY AND WITH EASE. NOTHING IS GOING TO BREAK. THRESHOLD-LESS AND NOISELESS FORKLIFT DRIVING IS MADE POSSIBLE.



REQUIREMENTS

Floor joints in industrial areas equipped with conventional steel profiles are subject to high loads when they are trafficked by fork-lifts. If the profiles are not absolutely flat they can cause noise, vibration and blows on wheel bearings. This causes the fork-lifts to suffer and can contribute to a high wear rate of spare parts. The Sika FloorJoint S joint system is the perfect solution. The prefabricated, carbon fibre reinforced polymer concrete profile can also be retrofitted with little effort. The result is a noiseless and vibration-free ride suitable for all kinds of fork-lifts.

ADVANTAGES


- Maintenance and repair can be done over the weekend
- No vibrations when trafficked
- Significant reduction of wear to components such as wheel bearings, etc. from fork-lifts
- Grindable, therefore ultra-flat
- High chemical resistance
- Easy installation and easy repair
- Easy solution for the connection between horizontal and vertical construction elements

RANGE OF USE

Suitable for use in new constructions and in the refurbishment of all areas where a joint is needed and where the floor joint can be trafficked.

APPLICATION

Sika® FloorJoint S is not only suitable for new buildings but also for the refurbishment of defective joint panels where it can be installed easily and smoothly. Only a very short time is needed because rapid resin systems are used to bond the panels to the concrete substrate. This minimizes the interruption of daily operation and thus relieves budget pressure. A smooth plane is achieved by grinding, which prevents reliable beats and noise. Critical floor joints in warehouses and assembly halls, workshops, hospitals and shops disappear quickly and easily.





WHO WE ARE

Sika AG, Switzerland, is a globally active speciality chemicals company. Sika supplies the building and construction industry as well as manufacturing industries (automotive, bus, truck, rail, solar and wind power plants, façades). Sika is a leader in processing materials used in sealing, bonding, damping, reinforcing and protecting loadbearing structures. Sika's product lines feature high quality concrete admixtures, specialty mortars, sealants and adhesives, damping and reinforcing materials, structural strengthening systems, industrial flooring as well as roofing and waterproofing systems.

Our most current General Sales Conditions shall apply.
Please consult the Data Sheet prior to any use and processing.



SIKA (NZ) LTD
PO BOX 19192
Avondale · Auckland
1746 · New Zealand

Contact
Phone 0800 745 269
Fax 0800 745 232
www.sika.co.nz

BUILDING TRUST

