Pulastic® Coating TS/W (A)



Version **Revision Date:** SDS Number: Date of last issue: 2022/10/19 2024/10/29 000000605450 Date of first issue: 2015/06/26 6.0

Section 1: Identification

Product name Pulastic® Coating TS/W (A)

Manufacturer or supplier's details

Sika (NZ) Ltd. Company

85-91 Patiki Road

Avondale

Auckland AKL 1026

Telephone +64 9 820 2900

Emergency telephone number : 0800 734 607

E-mail address info@nz.sika.com

Telefax +64 9 828 4091

Recommended use of the chemical and restrictions on use

Product use : For professional users only., Polyurethane coating

Section 2: Hazard identification

GHS Classification

Flammable liquids Category 4

Reproductive toxicity Category 2

Hazardous to the aquatic environment - chronic hazard

Category 3

GHS label elements

Hazard pictograms

Signal word Warning

Hazard statements H227 Combustible liquid.

> H361 Suspected of damaging fertility or the unborn child. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames

Pulastic® Coating TS/W (A)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/10/19

 6.0
 2024/10/29
 000000605450
 Date of first issue: 2015/06/26

and other ignition sources. No smoking. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture :

Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Alcohols, C12-14, ethoxylated propoxylated	68439-51-0	>= 0.25 -< 1
zinc bis(2-ethylhexanoate)	136-53-8	>= 0.1 -< 0.25
bronopol (INN)	52-51-7	>= 0.025 -< 0.1

Section 4: First-aid measures

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms : No known significant effects or hazards.

Pulastic® Coating TS/W (A)



SDS Number: Date of last issue: 2022/10/19 Version Revision Date: 000000605450 Date of first issue: 2015/06/26 2024/10/29 6.0

and effects, both acute and

delayed

See Section 11 for more detailed information on health effects

and symptoms.

Suspected of damaging fertility or the unborn child.

Treat symptomatically. Notes to physician

Section 5: Fire-fighting measures

Suitable extinguishing media Carbon dioxide (CO2)

Unsuitable extinguishing

media

Water

Hazardous combustion prod: :

No hazardous combustion products are known

Specific extinguishing meth-

Standard procedure for chemical fires.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Section 6: Accidental release measures

tive equipment and emer-

gency procedures

Personal precautions, protec- : For personal protection see section 8.

Environmental precautions No special environmental precautions required.

Methods and materials for

containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling For personal protection see section 8.

Follow standard hygiene measures when handling chemical

products

Handle in accordance with good industrial hygiene and safety Hygiene measures

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Store in original container. Conditions for safe storage

Keep in a well-ventilated place. Observe label precautions.

Pulastic® Coating TS/W (A)



Revision Date: Version SDS Number: Date of last issue: 2022/10/19 000000605450 Date of first issue: 2015/06/26 2024/10/29 6.0

Store in accordance with local regulations.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection Use respiratory protection unless adequate local exhaust

> ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection Chemical-resistant, impervious gloves complying with an

> approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Safety eyewear complying with an approved standard should Eye protection

be used when a risk assessment indicates this is necessary.

Skin and body protection Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Section 9: Physical and chemical properties

Appearance liquid

Colour various

Odour characteristic

Odour Threshold No data available

7 pΗ

Melting point/ range / Freez-

ing point Boiling point/boiling range No data available

Flash point 62 °C (144 °F)

(Method: closed cup)

No data available

No data available Evaporation rate

Flammability (solid, gas) No data available

Pulastic® Coating TS/W (A)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/10/19

 6.0
 2024/10/29
 000000605450
 Date of first issue: 2015/06/26

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : 0.7 hPa

Relative vapour density : No data available

Density : 1.2 g/cm3 (20 °C (68 °F))

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : > 7 mm2/s (40 °C (104 °F))

Explosive properties : No data available

Oxidizing properties : No data available

Volatile organic compounds

(VOC) content

21.7 g/l

Section 10: Stability and reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition

products

No hazardous decomposition products are known.

Pulastic® Coating TS/W (A)



Version 6.0

Revision Date: 2024/10/29

SDS Number: 000000605450 Date of last issue: 2022/10/19 Date of first issue: 2015/06/26

Section 11: Toxicological information

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Section 12: Ecological information

Ecotoxicity

Components:

Alcohols, C12-14, ethoxylated propoxylated:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 1 - 10 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1 - 10 mg/l

EC50 (Desmodesmus subspicatus (green algae)): 1 - 10 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

Exposure time: 72 h

plants

Pulastic® Coating TS/W (A)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/10/19

 6.0
 2024/10/29
 000000605450
 Date of first issue: 2015/06/26

NOEC (Desmodesmus subspicatus (green algae)): 0.1 - 1

mg/l

1

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

Toxicity to fish (Chronic tox-

icity)

: LC50 (Leuciscus idus (Golden orfe)): 1 - 10 mg/l

EC50 (Daphnia (water flea)): 1 - 10 mg/l

Exposure time: 96 d

Exposure time: 48 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

bronopol (INN):

M-Factor (Acute aquatic tox-

icity)

M-Factor (Chronic aquatic

toxicity)

: 10

: 1

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

: There is no data available for this product.

Section 13: Disposal considerations

Disposal methods

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

Pulastic® Coating TS/W (A)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/10/19

 6.0
 2024/10/29
 000000605450
 Date of first issue: 2015/06/26

Section 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not ar

ger aircraft)

Not applicable

IMDG-Code

UN number Not applicable Proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable EmS Code Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable

Schedules of Toxic Chemicals and Precursors

HSNO Approval Number

HSR002659

Pulastic® Coating TS/W (A)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/10/19

 6.0
 2024/10/29
 000000605450
 Date of first issue: 2015/06/26

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

Section 16: Other information

Revision Date : 2024/10/29 Date format : dd.mm.yyyy

Full text of other abbreviations

ADG : Australian Dangerous Goods Code.

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service
DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dosis (the amount of a material, given all at

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 : Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL : International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Pulastic® Coating TS/W (A)



Version 6.0 Revision Date: 2024/10/29

SDS Number: 000000605450

Date of last issue: 2022/10/19 Date of first issue: 2015/06/26

Changes as compared to previous version!

NZ / EN