Sikagard-62 Part A



Version 4.1	Revision Date: 2024/11/27		SDS Number: 000000612790	Date of last issue: 2022/11/15 Date of first issue: 2016/08/25
Section [•]	1: Identification			
Proc	luct name	:	Sikagard-62 Part A	
Man	ufacturer or supplier's d	eta	ils	
Com	ipany	:	Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
Tele	phone	:	+64 9 820 2900	
Eme	ergency telephone number	:	0800 734 607	
E-m	ail address	:	info@nz.sika.com	
Tele	fax	:	+64 9 828 4091	

Section 2: Hazard identification

GHS	Classification
01	

Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2
Skin sensitisation	:	Category 1
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2
Hazardous to the aquatic environment - chronic hazard	:	Category 2
GHS label elements		
Hazard pictograms	:	

:

Signal word

Hazard statements



H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H373 May cause damage to organs through prolonged or repeated exposure if inhaled.

Sikagard-62 Part A



Version 4.1	Revision Date: 2024/11/27	SDS Number: 000000612790	Date of last issue: 2022/11/15 Date of first issue: 2016/08/25
		H411 Toxic to aquatic life v	with long lasting effects.
Preca	utionary statements	the workplace. P273 Avoid release to the	y after handling. clothing should not be allowed out of
		P305 + P351 + P338 IF IN for several minutes. Remo easy to do. Continue rinsin P314 Get medical advice/ P333 + P313 If skin irritatio vice/ attention. P337 + P313 If eye irritatio tention.	
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste
Other	hazards which do not	result in classification	

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	25068-38-6	>= 50 -< 70
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	68609-97-2	>= 1 -< 10
xylene	1330-20-7	>= 2.5 -< 10
N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan- 1-amide)	123-26-2	>= 0.1 -< 0.25
reaction product: bisphenol F-(epichlorhydrin) epoxy resin (number average molecular weight <= 700)	9003-36-5	>= 0.1 -< 0.25

Section 4: First-aid measures

Sikagard-62 Part A



Versic 4.1	on	Revision Date: 2024/11/27		SDS Number: 000000612790	Date of last issue: 2022/11/15 Date of first issue: 2016/08/25		
General advice		:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.				
l	lf inhaled		:	Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact		:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.				
In case of eye contact		:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.				
If swallowed		:	Clean mouth with water and drinl Do not give milk or alcoholic beve Never give anything by mouth to Obtain medical attention.	erages.			
Most important symptoms and effects, both acute and delayed		:	irritant effects sensitising effects Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed and symptoms. Causes skin irritation. May cause an allergic skin reacti Causes serious eye irritation. May cause damage to organs thr exposure if inhaled.	on.			
I	Notes to p	ohysician	:	Treat symptomatically.			

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Sikagard-62 Part A



Version 4.1	Revision Date: 2024/11/27		SDS Number: 000000612790	Date of last issue: 2022/11/15 Date of first issue: 2016/08/25
	Special protective equipment for firefighters		In the event of fire, wear se	elf-contained breathing apparatus.
Haz	chem Code	:	3Z	
Section	6: Accidental release me	as	ures	
tive	sonal precautions, protec- equipment and emer- cy procedures	:	Use personal protective eq Deny access to unprotected	
Env	Environmental precautions			ater or sanitary sewer system. s rivers and lakes or drains inform
	hods and materials for tainment and cleaning up	:	Soak up with inert absorber acid binder, universal binder Keep in suitable, closed co	
Section	7: Handling and storage			
	ice on protection against and explosion	:	Normal measures for preve	entive fire protection.
Adv	Advice on safe handling		section 8). Do not get in eyes, on skin, For personal protection see Persons with a history of sk ma, allergies, chronic or red not be employed in any pro- used. Smoking, eating and drinkin plication area.	
	iene measures	:	practice. When using do not eat or d When using do not smoke.	
Con	ditions for safe storage	:	place.	

Sikagard-62 Part A



Version	Revision Date:	SDS Number:	Date of last issue: 2022/11/15
4.1	2024/11/27	00000612790	Date of first issue: 2016/08/25

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
xylene	1330-20-7	WES-TWA	50 ppm 217 mg/m3	NZ OEL	
	Further information: Ototoxin, Exposure can also be estimated by biological monitoring				

Biological occupational exposure limits

Components	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
xylene	1330-20-7	Methylhip-	Urine	End of	1.5 g/l	NZ BEI
		puric acid		shift	_	

Personal protective equipment

Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-essary.
Eye protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.

Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	off-white
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable

Sikagard-62 Part A



ersion .1	Revision Date: 2024/11/27		SDS Number: 000000612790	Date of last issue: 2022/11/15 Date of first issue: 2016/08/25
	ng point/ range / Freez-	:	No data available	
ing p Boilir	ng point/boiling range	:	No data available	
Flash	n point	:	101 °C (214 °F)	
Evap	oration rate	:	No data available	
Flam	mability (solid, gas)	:	No data available	
	er explosion limit / Upper nability limit	:	No data available	
	er explosion limit / Lower nability limit	:	No data available	
Vapo	ur pressure	:	0.01 hPa	
Relat	ive vapour density	:	No data available	
Dens	ity	:	1.46 g/cm3 (20 °C (68 °F))	
	bility(ies) /ater solubility	:	No data available	
S	olubility in other solvents	:	No data available	
	ion coefficient: n-	:	No data available	
	ool/water ignition temperature	:	No data available	
Deco	mposition temperature	:	No data available	
Visco Vi	osity scosity, dynamic	:	No data available	
Vi	scosity, kinematic	:	> 7 mm2/s (40 °C (104 °F))	
Explo	osive properties	:	No data available	
Oxidi	zing properties	:	No data available	
	ile organic compounds c) content	:	54.0 g/l	

Section 10: Stability and reactivity

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.

Sikagard-62 Part A



Version 4.1	Revision Date: 2024/11/27		SDS Number: 000000612790	Date of last issue: 2022/11/15 Date of first issue: 2016/08/25
Cond	itions to avoid	:	No data available	
Incom	npatible materials	:	No data available	
Hazaı produ	rdous decomposition lcts	:	No decomposition if store	d and applied as directed.

Section 11: Toxicological information

Acute toxicity Not classified based on available information.

<u>Components:</u> reaction product: bisphenol weight ≤ 700):	- A -	(epichlorhydrin); epoxy resin (number average molecular	
Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 20,000 mg/kg	
xylene: Acute oral toxicity	:	LD50 Oral (Rat): 3,523 mg/kg	
Skin corrosion/irritation Causes skin irritation.			
Serious eye damage/eye irri Causes serious eye irritation.	tati	on	
Respiratory or skin sensitis	atic	on	
Skin sensitisation May cause an allergic skin rea	actio	on.	
Respiratory sensitisation Not classified based on available information.			
Chronic toxicity			
Germ cell mutagenicity Not classified based on availa	ble	information.	
Carcinogenicity Not classified based on available information.			
Reproductive toxicity Not classified based on available information.			
STOT - single exposure Not classified based on available information.			

Sikagard-62 Part A



4.1 2024/11/27 000006127	Date of last issue: 2022/11/15
	0 Date of first issue: 2016/08/25

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

Section 12: Ecological information

Ecotoxicity

weight ≤ 700):		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.8 mg/l Exposure time: 48 h
xylene:		
Toxicity to fish (Chronic tox- icity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): > 1.3 mg/l Exposure time: 56 d
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	NOEC (Daphnia (water flea)): 1.17 mg/l Exposure time: 7 d
Persistence and degradabili	ty	
No data available		
Bioaccumulative potential No data available		
Mobility in soil No data available		
Other adverse effects		
Product:		
Additional ecological infor-	:	Toxic to aquatic life with long lasting effects.

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product.

Sikagard-62 Part A



Version 4.1	Revision Date: 2024/11/27	SDS Number: 000000612790	Date of last issue: 2022/11/15 Date of first issue: 2016/08/25
		Do not re-use empty con	tainers.
Section 14	: Transport information	n	
Intern	ational Regulations		
Class Packir Labels Packir aircraf	No. r shipping name ng group ng instruction (cargo it) ng instruction (passen-	 UN 3082 Environmentally hazardo 9 III Miscellaneous 964 964 	us substance, liquid, n.o.s.
Class Packir Labels EmS (mber r shipping name ng group	 : UN 3082 : ENVIRONMENTALLY H/ N.O.S. : 9 : III : 9 : F-A, S-F : no 	AZARDOUS SUBSTANCE, LIQUID,
	port in bulk according oplicable for product as s	to Annex II of MARPOL 73/ upplied.	78 and the IBC Code

National Regulations

NZS 5433		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	3Z
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable

Sikagard-62 Part A



/ersion 1	Revision Date: 2024/11/27		SDS Number: 000000612790	Date of last issue: 2022/11/15 Date of first issue: 2016/08/25
Scheo	dules of Toxic Chemica	Is and I	Precursors	
HSNC) Approval Number			
	02670			
	able Exposure Limits pplicable	(TEL)		
	onmental Exposure L pplicable	imits (EEL)	
HSW	Controls			
	ed handler certificate r	not requ	ired	
				es) Regulations 2017, for further infor-
	• •		are reported in the follow	•
NZIoC	2	: 0	On the inventory, or in com	pliance with the inventory
	ion Date format		024/11/27	
			d.mm.yyyy	
Full te	ext of other abbreviat	ions		
NZ BE			lew Zealand. Biological Ex	
NZ OI	EL		lew Zealand. Workplace E c Contaminants	exposure Standards for Atmospher-
	EL / WES-TWA			lard - Time Weighted average
ADG			ustralian Dangerous Good	
ADR		C	Dangerous Goods by Road	
CAS			Chemical Abstracts Service	e
DNEL			Derived no-effect level	
EC50			lalf maximal effective conc	
GHS			Blobally Harmonized Syste	
IATA			nternational Air Transport	
IMDG			nternational Maritime Code	
LD50		0		nount of a material, given all at ath of 50% (one half) of a group of
LC50		: N a	ledian lethal concentration ir that kills 50% of the test	n (concentrations of the chemical in animals during the observation
MARF	POL		eriod) nternational Convention fo	r the Prevention of Pollution from

Sikagard-62 Part A



Version	Revision Date: 2024/11/27	SDS Number:	Date of last issue: 2022/11/15
4.1		000000612790	Date of first issue: 2016/08/25
SVHC vPvB			

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NZ / EN